

г. Москва, ул. Электродная, д.11, тел/факс: (495) 785-10-14,  
www.svetgrupp.ru , E-mail: info@svetgrupp.ru

Артикул производителя	Цвет	Описание	Розничная цена
01-0001	E	body profile 1000mm	89,72
01-0002	E	body profile 1000mm	89,72
01-0003	N	direct joint	4,01
01-0004	E	joint 90°, metal	16,71
01-0005	E	recessed joint 90°, metal	15,92
01-0006	E	end cap for pendant luminaires for lighting system, metal	8,15
01-0007	N	wire suspension	5,62
01-0008	E	end cap, metal	5,35
01-0009	S	wall fastening	6,69
01-0010	S	ceiling fastening	2,28
01-050A-1014E	E	recessed luminaire 1x14W;G5	178,91
01-050A-1021E	E	recessed luminaire 1x21W;G5	205,25
01-050A-1024E	E	recessed luminaire 1x24W;G5	178,91
01-050A-1028E	E	recessed luminaire 1x28W;G5	226,65
01-050A-1035E	E	recessed luminaire 1x35W;G5	261,54
01-050A-1039E	E	recessed luminaire 1x39W;G5	205,25
01-050A-1049E	E	recessed luminaire 1x49W;G5	261,54
01-050A-1054E	E	recessed luminaire 1x54W;G5	226,65
01-050A-1080E	E	recessed luminaire 1x80W;G5	263,15
01-050K-1014E	E	recessed luminaire 1x14W;G5	144,01
01-050K-1021E	E	recessed luminaire 1x21W;G5	163,26
01-050K-1024E	E	recessed luminaire 1x24W;G5	144,01
01-050K-1028E	E	recessed luminaire 1x28W;G5	175,96
01-050K-1035E	E	recessed luminaire 1x35W;G5	193,89
01-050K-1039E	E	recessed luminaire 1x39W;G5	163,26
01-050K-1049E	E	recessed luminaire 1x49W;G5	193,89
01-050K-1054E	E	recessed luminaire 1x54W;G5	175,96
01-050K-1080E	E	recessed luminaire 1x80W;G5	199,90
01-060K-2021E	E	recessed luminaire 2x21W;G5	228,52
01-060K-2028E	E	recessed luminaire 2x28W;G5	269,70
01-060K-2035E	E	recessed luminaire 2x35W;G5	306,33
01-060K-2039E	E	recessed luminaire 2x39W;G5	228,52
01-060K-2049E	E	recessed luminaire 2x49W;G5	306,33
01-060K-2054E	E	recessed luminaire 2x54W;G5	269,70
01-060K-2080E	E	recessed luminaire 2x80W;G5	322,25
01-550A-1014E-P	E	pendant supply luminaire for lighting system 1x14W;G5	119,67
01-550A-1021E-P	E	pendant supply luminaire for lighting system 1x21W;G5	140,53
01-550A-1024E-P	E	pendant supply luminaire for lighting system 1x24W;G5	119,67
01-550A-1028E-P	E	pendant supply luminaire for lighting system 1x28W;G5	155,38
01-550A-1035E-P	E	pendant supply luminaire for lighting system 1x35W;G5	176,50
01-550A-1039E-P	E	pendant supply luminaire for lighting system 1x39W;G5	140,53
01-550A-1049E-P	E	pendant supply luminaire for lighting system 1x49W;G5	176,50
01-550A-1054E-P	E	pendant supply luminaire for lighting system 1x54W;G5	155,38
01-550A-1080E-P	E	pendant supply luminaire for lighting system 1x80W;G5	182,52
01-550K-1014E-P	E	pendant supply luminaire for lighting system 1x14W;G5	110,04
01-550K-1021E-P	E	pendant supply luminaire for lighting system 1x21W;G5	129,16
01-550K-1024E-P	E	pendant supply luminaire for lighting system 1x24W;G5	110,04
01-550K-1028E-P	E	pendant supply luminaire for lighting system 1x28W;G5	141,87
01-550K-1035E-P	E	pendant supply luminaire for lighting system 1x35W;G5	159,92
01-550K-1039E-P	E	pendant supply luminaire for lighting system 1x39W;G5	129,16
01-550K-1049E-P	E	pendant supply luminaire for lighting system 1x49W;G5	159,92
01-550K-1054E-P	E	pendant supply luminaire for lighting system 1x54W;G5	141,87
01-550K-1080E-P	E	pendant supply luminaire for lighting system 1x80W;G5	165,93
01-560A-2021E-P	E	pendant supply luminaire for lighting system 2x21W;G5	217,16
01-560A-2028E-P	E	pendant supply luminaire for lighting system 2x28W;G5	262,62
01-560A-2035E-P	E	pendant supply luminaire for lighting system 2x35W;G5	305,41
01-560A-2039E-P	E	pendant supply luminaire for lighting system 2x39W;G5	217,16
01-560A-2049E-P	E	pendant supply luminaire for lighting system 2x49W;G5	305,41

01-560A-2054E-P	E	pendant supply luminaire for lighting system 2x54W;G5	262,62
01-560A-2080E-P	E	pendant supply luminaire for lighting system 2x80W;G5	321,31
01-560K-2021E-P	E	pendant supply luminaire for lighting system 2x21W;G5	194,43
01-560K-2028E-P	E	pendant supply luminaire for lighting system 2x28W;G5	235,61
01-560K-2035E-P	E	pendant supply luminaire for lighting system 2x35W;G5	272,38
01-560K-2039E-P	E	pendant supply luminaire for lighting system 2x39W;G5	194,43
01-560K-2049E-P	E	pendant supply luminaire for lighting system 2x49W;G5	272,38
01-560K-2054E-P	E	pendant supply luminaire for lighting system 2x54W;G5	235,61
01-560K-2080E-P	E	pendant supply luminaire for lighting system 2x80W;G5	288,28
02-0001	E	body profile 1000mm	94,27
02-0002	N	direct joint	11,76
02-0003	E	joint 90°, metal	51,88
02-0004	E	joint T, metal	72,87
02-0005	E	joint X, metal	90,26
02-0006	E	end cap, metal	11,10
02-0007	N	wire suspension	6,96
02-0008	S	wire suspension	18,59
02-0017	S	wall fastening	29,42
02-551A-2014E-P	E	direct-indirect pendant supply fit. for light. system 2x14W;	198,17
02-551A-2021E-P	E	direct-indirect pendant supply fit. for light. system 2x21W;	239,75
02-551A-2024E-P	E	direct-indirect pendant supply fit. for light. system 2x24W;	198,17
02-551A-2028E-P	E	direct-indirect pendant supply fit. for light. system 2x28W;	282,01
02-551A-2035E-P	E	direct-indirect pendant supply fit. for light. system 2x35W;	327,06
02-551A-2039E-P	E	direct-indirect pendant supply fit. for light. system 2x39W;	239,75
02-551A-2049E-P	E	direct-indirect pendant supply fit. for light. system 2x49W;	327,06
02-551A-2054E-P	E	direct-indirect pendant supply fit. for light. system 2x54W;	282,01
02-551A-2080E-P	E	direct-indirect pendant supply fit. for light. system 2x80W;	337,76
02-551K-2014E-P	E	direct-indirect pendant supply fit. for light. system 2x14W;	182,25
02-551K-2021E-P	E	direct-indirect pendant supply fit. for light. system 2x21W;	219,83
02-551K-2024E-P	E	direct-indirect pendant supply fit. for light. system 2x24W;	182,25
02-551K-2028E-P	E	direct-indirect pendant supply fit. for light. system 2x28W;	253,79
02-551K-2035E-P	E	direct-indirect pendant supply fit. for light. system 2x35W;	291,77
02-551K-2039E-P	E	direct-indirect pendant supply fit. for light. system 2x39W;	219,83
02-551K-2049E-P	E	direct-indirect pendant supply fit. for light. system 2x49W;	291,77
02-551K-2054E-P	E	direct-indirect pendant supply fit. for light. system 2x54W;	253,79
02-551K-2080E-P	E	direct-indirect pendant supply fit. for light. system 2x80W;	302,46
02-552V-1014E-P	E	pendant supply luminaire for lighting system 1x14W;G5	233,20
02-552V-1021E-P	E	pendant supply luminaire for lighting system 1x21W;G5	279,19
02-552V-1024E-P	E	pendant supply luminaire for lighting system 1x24W;G5	233,20
02-552V-1028E-P	E	pendant supply luminaire for lighting system 1x28W;G5	325,99
02-552V-1035E-P	E	pendant supply luminaire for lighting system 1x35W;G5	374,27
02-552V-1039E-P	E	pendant supply luminaire for lighting system 1x39W;G5	279,19
02-552V-1049E-P	E	pendant supply luminaire for lighting system 1x49W;G5	374,27
02-552V-1054E-P	E	pendant supply luminaire for lighting system 1x54W;G5	325,99
02-552V-1080E-P	E	pendant supply luminaire for lighting system 1x80W;G5	379,62
02-561A-4021E-P	E	direct-indirect pendant supply fit. for light. system 4x21W;	534,46
02-561A-4028E-P	E	direct-indirect pendant supply fit. for light. system 4x28W;	618,97
02-561A-4035E-P	E	direct-indirect pendant supply fit. for light. system 4x35W;	709,08
02-561A-4039E-P	E	direct-indirect pendant supply fit. for light. system 4x39W;	534,46
02-561A-4049E-P	E	direct-indirect pendant supply fit. for light. system 4x49W;	709,08
02-561A-4054E-P	E	direct-indirect pendant supply fit. for light. system 4x54W;	618,97
02-561A-4080E-P	E	direct-indirect pendant supply fit. for light. system 4x80W;	744,92
02-561K-4021E-P	E	direct-indirect pendant supply fit. for light. system 4x21W;	494,61
02-561K-4028E-P	E	direct-indirect pendant supply fit. for light. system 4x28W;	562,54
02-561K-4035E-P	E	direct-indirect pendant supply fit. for light. system 4x35W;	638,49
02-561K-4039E-P	E	direct-indirect pendant supply fit. for light. system 4x39W;	494,61
02-561K-4049E-P	E	direct-indirect pendant supply fit. for light. system 4x49W;	638,49
02-561K-4054E-P	E	direct-indirect pendant supply fit. for light. system 4x54W;	562,54
02-561K-4080E-P	E	direct-indirect pendant supply fit. for light. system 4x80W;	674,32
03-0001	E	body profile 1000mm	57,10
03-0003	E	joint 90°, metal	30,21
03-0004	E	joint T, metal	42,39
03-0005	E	joint X, metal	52,82
03-0006	E	end cap, metal	6,02
03-0007	N	wire suspension	5,35
03-0008	S	wire suspension	17,78
03-0009	E	pendant profile for track luminaires; l = 620mm	99,62
03-0010	E	pendant profile for track luminaires; l = 920mm	126,09
03-0011	E	pendant profile for track luminaires; l = 1220mm	155,24
03-0013	E	pendant profile for track luminaires; l = 1520mm	184,40
03-0014	E	pendant profile for track luminaires; l = 1840mm	214,74
03-0015	E	pendant profile for track luminaires; l = 2440mm	275,72

03-0016	E	pendant profile for track luminaires; l = 3040mm	337,09
03-0017	E	body profile 1000mm	73,14
03-0018	E	end cap, metal	9,36
03-0019	E	recessed profile for track luminaires; l = 620mm	115,66
03-001K-2014E	E	Illuminated L connector recessed luminaire 2x14W;G5	224,64
03-001K-2024E	E	Illuminated L connector recessed luminaire 2x24W;G5	224,64
03-0020	E	recessed profile for track luminaires; l = 920mm	142,14
03-0021	E	recessed profile for track luminaires; l = 1220mm	171,28
03-0023	E	recessed profile for track luminaires; l = 1520mm	200,44
03-0024	E	recessed profile for track luminaires; l = 1840mm	238,81
03-0025	E	recessed profile for track luminaires; l = 2440mm	299,79
03-0026	E	recessed profile for track luminaires; l = 3040mm	361,16
03-0027	S	wall fastening	10,97
03-0028	S	ceiling fastening	9,36
03-0029	E	recessed joint 90°, metal	30,21
03-0030	E	single/start suspended profile body for unit 1x21/39W	64,58
03-0031	E	continuous suspended profile body for unit 1x21/39W	57,77
03-0032	E	single/start suspended profile body for unit 1x28/54W	86,25
03-0033	E	continuous suspended profile body for unit 1x28/54W	79,43
03-0034	E	single/start suspended profile body for unit 1x35/49/80W	106,84
03-0035	E	continuous suspended profile body for unit 1x35/49/80W	99,89
03-0036	E	single/start suspended profile body for unit 2x21/39W	119,01
03-0037	E	continuous suspended profile body for unit 2x21/39W	112,05
03-0038	E	single/start suspended profile body for unit 2x28/54W	161,13
03-0039	E	continuous suspended profile body for unit 2x28/54W	154,31
03-0040	E	single/start suspended profile body for unit 2x35/49/80W	214,74
03-0041	E	continuous suspended profile body for unit 2x35/49/80W	207,53
03-0042	E	single/start suspended profile body for unit 3x21/39W	174,50
03-0043	E	continuous suspended profile body for unit 3x21/39W	167,54
03-0044	E	single/start suspended profile body for unit 3x28/54W	250,59
03-0045	E	continuous suspended profile body for unit 3x28/54W	243,36
03-0046	E	single/start suspended profile body for unit 3x35/49/80	333,89
03-0047	E	continuous suspended profile body for unit 3x35/49/80	326,26
03-0048	E	single/start recessed profile body for unit 1x21/39W	65,65
03-0049	E	continuous recessed profile body for unit 1x21/39W	58,71
03-0050	E	single/start recessed profile body for unit 1x28/54W	87,45
03-0051	E	continuous recessed profile body for unit 1x28/54W	80,50
03-0052	E	single/start recessed profile body for unit 1x35/49/80W	108,18
03-0053	E	continuous recessed profile body for unit 1x35/49/80W	101,22
03-0054	E	single/start recessed profile body for unit 2x21/39W	120,47
03-0055	E	continuous recessed profile body for unit 2x21/39W	113,53
03-0056	E	single/start recessed profile body for unit 2x28/54W	163,13
03-0057	E	continuous recessed profile body for unit 2x28/54W	156,32
03-0058	E	single/start recessed profile body for unit 2x35/49/80W	217,29
03-0059	E	continuous recessed profile body for unit 2x35/49/80W	210,06
03-0060	E	single/start recessed profile body for unit 3x21/39W	176,63
03-0061	E	continuous recessed profile body for unit 3x21/39W	169,69
03-0062	E	single/start recessed profile body for unit 3x28/54W	253,66
03-0063	E	continuous recessed profile body for unit 3x28/54W	246,30
03-0064	E	single/start recessed profile body for unit 3x35/49/80	337,76
03-0065	E	continuous recessed profile body for unit 3x35/49/80	330,00
03-0066	E	body profile 1000mm	57,10
03-0067	E	body profile 1000mm	73,14
03-0068	E	single/start suspended profile body for unit 1x14/24W	56,16
03-0069	E	continuous suspended profile body for unit 1x14/24W	56,16
03-0070	E	single/start recessed profile body for unit 1x14/24W	56,16
03-0071	E	continuous recessed profile body for unit 1x14/24W	56,16
03-0072	E	-	3,34
03-050A-1014E	E	recessed luminaire 1x14W;G5	167,01
03-050A-1021E	E	recessed luminaire 1x21W;G5	195,89
03-050A-1024E	E	recessed luminaire 1x24W;G5	167,01
03-050A-1028E	E	recessed luminaire 1x28W;G5	226,92
03-050A-1035E	E	recessed luminaire 1x35W;G5	257,27
03-050A-1039E	E	recessed luminaire 1x39W;G5	195,89
03-050A-1049E	E	recessed luminaire 1x49W;G5	257,27
03-050A-1054E	E	recessed luminaire 1x54W;G5	226,92
03-050A-1080E	E	recessed luminaire 1x80W;G5	262,62
03-050D-1014E	E	recessed luminaire 1x14W;G5	161,00
03-050D-1021E	E	recessed luminaire 1x21W;G5	187,20
03-050D-1024E	E	recessed luminaire 1x24W;G5	161,00
03-050D-1028E	E	recessed luminaire 1x28W;G5	211,40
03-050D-1035E	E	recessed luminaire 1x35W;G5	236,80

03-050D-1039E	E	recessed luminaire 1x39W;G5	187,20
03-050D-1049E	E	recessed luminaire 1x49W;G5	236,80
03-050D-1054E	E	recessed luminaire 1x54W;G5	211,40
03-050D-1080E	E	recessed luminaire 1x80W;G5	242,15
03-060A-2021E	E	recessed luminaire 2x21W;G5	306,08
03-060A-2028E	E	recessed luminaire 2x28W;G5	367,32
03-060A-2035E	E	recessed luminaire 2x35W;G5	449,41
03-060A-2039E	E	recessed luminaire 2x39W;G5	306,08
03-060A-2049E	E	recessed luminaire 2x49W;G5	449,41
03-060A-2054E	E	recessed luminaire 2x54W;G5	367,32
03-060A-2080E	E	recessed luminaire 2x80W;G5	467,33
03-060D-2021E	E	recessed luminaire 2x21W;G5	288,82
03-060D-2028E	E	recessed luminaire 2x28W;G5	336,29
03-060D-2035E	E	recessed luminaire 2x35W;G5	402,75
03-060D-2039E	E	recessed luminaire 2x39W;G5	288,82
03-060D-2049E	E	recessed luminaire 2x49W;G5	402,75
03-060D-2054E	E	recessed luminaire 2x54W;G5	336,29
03-060D-2080E	E	recessed luminaire 2x80W;G5	420,66
03-501K-2014E	E	Illuminated L connector pendant luminaire 2x14W;G5	224,64
03-501K-2024E	E	Illuminated L connector pendant luminaire 2x24W;G5	224,64
03-501K-2024EI	E	Illuminated L connector pendant luminaire 2x24W;G5	235,47
03-550A-1014E-P	E	pendant supply luminaire for lighting system 1x14W;G5	150,97
03-550A-1021E-P	E	pendant supply luminaire for lighting system 1x21W;G5	179,85
03-550A-1024EI-P	E	pendant supply luminaire for lighting system 1x24W;G5	158,18
03-550A-1024E-P	E	pendant supply luminaire for lighting system 1x24W;G5	150,97
03-550A-1028E-P	E	pendant supply luminaire for lighting system 1x28W;G5	210,87
03-550A-1035E-P	E	pendant supply luminaire for lighting system 1x35W;G5	241,23
03-550A-1039E-P	E	pendant supply luminaire for lighting system 1x39W;G5	179,85
03-550A-1049E-P	E	pendant supply luminaire for lighting system 1x49W;G5	241,23
03-550A-1054E-P	E	pendant supply luminaire for lighting system 1x54W;G5	210,87
03-550A-1080E-P	E	pendant supply luminaire for lighting system 1x80W;G5	246,57
03-550D-1014E-P	E	pendant supply luminaire for lighting system 1x14W;G5	144,95
03-550D-1021E-P	E	pendant supply luminaire for lighting system 1x21W;G5	171,15
03-550D-1024E-P	E	pendant supply luminaire for lighting system 1x24W;G5	144,95
03-550D-1028E-P	E	pendant supply luminaire for lighting system 1x28W;G5	195,35
03-550D-1035E-P	E	pendant supply luminaire for lighting system 1x35W;G5	220,76
03-550D-1039E-P	E	pendant supply luminaire for lighting system 1x39W;G5	171,15
03-550D-1049E-P	E	pendant supply luminaire for lighting system 1x49W;G5	220,76
03-550D-1054E-P	E	pendant supply luminaire for lighting system 1x54W;G5	195,35
03-550D-1080E-P	E	pendant supply luminaire for lighting system 1x80W;G5	226,11
03-560A-2021E-P	E	pendant supply luminaire for lighting system 2x21W;G5	282,01
03-560A-2028E-P	E	pendant supply luminaire for lighting system 2x28W;G5	343,25
03-560A-2035E-P	E	pendant supply luminaire for lighting system 2x35W;G5	425,34
03-560A-2039E-P	E	pendant supply luminaire for lighting system 2x39W;G5	282,01
03-560A-2049E-P	E	pendant supply luminaire for lighting system 2x49W;G5	425,34
03-560A-2054E-P	E	pendant supply luminaire for lighting system 2x54W;G5	343,25
03-560A-2080E-P	E	pendant supply luminaire for lighting system 2x80W;G5	443,26
03-560D-2021E-P	E	pendant supply luminaire for lighting system 2x21W;G5	264,75
03-560D-2028E-P	E	pendant supply luminaire for lighting system 2x28W;G5	312,22
03-560D-2035E-P	E	pendant supply luminaire for lighting system 2x35W;G5	378,68
03-560D-2039E-P	E	pendant supply luminaire for lighting system 2x39W;G5	264,75
03-560D-2049E-P	E	pendant supply luminaire for lighting system 2x49W;G5	378,68
03-560D-2054E-P	E	pendant supply luminaire for lighting system 2x54W;G5	312,22
03-560D-2080E-P	E	pendant supply luminaire for lighting system 2x80W;G5	396,59
03-570K-4024E	E	pendant supply luminaire for lighting system 4x24W;G5	353,13
03-570K-4039E	E	pendant supply luminaire for lighting system 4x39W;G5	480,97
03-A00L-1021A		lighting unit 1x21 T16 G5 DIM	118,60
03-A00L-1028A		lighting unit 1x28 T16 G5 DIM	122,22
03-A00L-1035A		lighting unit 1x35 T16 G5 DIM	133,58
03-A00L-1039A		lighting unit 1x49 T16 G5 DIM	118,60
03-A00L-1049A		lighting unit 1x39 T16 G5 DIM	133,58
03-A00L-1054A		lighting unit 1x54 T16 G5 DIM	122,22
03-A00L-1080A		lighting unit 1x80 T16 G5 DIM	146,28
03-A00L-2021A		lighting unit 2x21 T16 G5 DIM	155,78
03-A00L-2028A		lighting unit 2x28 T16 G5 DIM	181,05
03-A00L-2035A		lighting unit 2x35 T16 G5 DIM	193,49
03-A00L-2039A		lighting unit 2x39 T16 G5 DIM	155,78
03-A00L-2049A		lighting unit 2x49 T16 G5 DIM	193,49
03-A00L-2054A		lighting unit 2x54 T16 G5 DIM	181,05
03-A00L-2080A		lighting unit 2x80 T16 G5 DIM	230,93
03-A00L-1014E		lighting unit 1x14W;G5	69,93
03-A00L-1021E		lighting unit 1x21W;G5	69,93

03-A00L-1024E		lighting unit 1x24W;G5	69,93
03-A00L-1028E		lighting unit 1x28W;G5	73,54
03-A00L-1035E		lighting unit 1x35W;G5	84,91
03-A00L-1039E		lighting unit 1x39W;G5	69,93
03-A00L-1039EI		lighting unit 1x39W;G5	77,16
03-A00L-1049E		lighting unit 1x49W;G5	84,91
03-A00L-1054E		lighting unit 1x54W;G5	73,54
03-A00L-1054EI		lighting unit 1x54W;G5	80,77
03-A00L-1080E		lighting unit 1x80W;G5	91,99
03-A00L-1080EI		lighting unit 1x80W;G5	92,13
03-A00L-2021E		lighting unit 2x21W;G5	100,95
03-A00L-2028E		lighting unit 2x28W;G5	126,23
03-A00L-2035E		lighting unit 2x35W;G5	138,66
03-A00L-2039E		lighting unit 2x39W;G5	100,95
03-A00L-2039EI		lighting unit 2x39W;G5	111,78
03-A00L-2049E		lighting unit 2x49W;G5	138,66
03-A00L-2054E		lighting unit 2x54W;G5	126,23
03-A00L-2054EI		lighting unit 2x54W;G5	137,06
03-A00L-2080E		lighting unit 2x80W;G5	170,49
03-A00L-2080EI		lighting unit 2x80W;G5	149,49
10-0001	E	profile for modules	118,34
10-0002	N	direct joint	8,02
10-0003	E	joint L	87,85
10-0004	E	joint T	117,80
10-0005	E	joint X	159,39
10-0006	N	suspension wire	7,48
10-0007	E	profile end cap	20,19
10-0008	S	wire suspension 2000 mm, 2 parallel wires, suitable for supp	26,34
10-0009	C	wall fastening	14,04
10-0010	S	wire suspension 2000 mm, 2 parallel wires, not suitable for	23,94
10-0011	E	body profile	125,42
10-510A-2014E		fluorescent lamp module 2x14W;G5	121,41
10-510A-2021E		fluorescent lamp module 2x21W;G5	134,14
10-510A-2024E		fluorescent lamp module 2x24W;G5	121,41
10-510A-2028E		fluorescent lamp module 2x28W;G5	145,38
10-510A-2035E		fluorescent lamp module 2x35W;G5	173,29
10-510A-2039E		fluorescent lamp module 2x39W;G5	134,14
10-510A-2049E		fluorescent lamp module 2x49W;G5	173,29
10-510A-2054E		fluorescent lamp module 2x54W;G5	145,38
10-510A-2080E		fluorescent lamp module 2x80W;G5	190,52
10-510I-2014E		fluorescent lamp module 2x14W;G5	121,41
10-510I-2021E		fluorescent lamp module 2x21W;G5	134,14
10-510I-2024E		fluorescent lamp module 2x24W;G5	121,41
10-510I-2028E		fluorescent lamp module 2x28W;G5	145,38
10-510I-2035E		fluorescent lamp module 2x35W;G5	173,29
10-510I-2039E		fluorescent lamp module 2x39W;G5	134,14
10-510I-2049E		fluorescent lamp module 2x49W;G5	173,29
10-510I-2054E		fluorescent lamp module 2x54W;G5	145,38
10-510I-2080E		fluorescent lamp module 2x80W;G5	190,52
10-510K-2014E		fluorescent lamp module 2x14W;G5	95,53
10-510K-2021E		fluorescent lamp module 2x21W;G5	101,30
10-510K-2024E		fluorescent lamp module 2x24W;G5	95,53
10-510K-2028E		fluorescent lamp module 2x28W;G5	107,83
10-510K-2035E		fluorescent lamp module 2x35W;G5	128,37
10-510K-2039E		fluorescent lamp module 2x39W;G5	101,30
10-510K-2049E		fluorescent lamp module 2x49W;G5	128,37
10-510K-2054E		fluorescent lamp module 2x54W;G5	107,83
10-510N-1035E		discharge lamp module 1x35W;GX8,5	233,31
10-510N-1070E		discharge lamp module 1x70W;GX8,5	233,31
10-510N-1100R		halogen lamp module 1x100W;G53	94,14
10-511A-2014E		direct-indirect fluorescent lamp module 2x14W;G5	117,24
10-511A-2021E		direct-indirect fluorescent lamp module 2x21W;G5	127,94
10-511A-2024E		direct-indirect fluorescent lamp module 2x24W;G5	117,24
10-511A-2028E		direct-indirect fluorescent lamp module 2x28W;G5	137,25
10-511A-2035E		direct-indirect fluorescent lamp module 2x35W;G5	163,03
10-511A-2039E		direct-indirect fluorescent lamp module 2x39W;G5	127,94
10-511A-2049E		direct-indirect fluorescent lamp module 2x49W;G5	163,03
10-511A-2054E		direct-indirect fluorescent lamp module 2x54W;G5	137,25
10-511I-2014E		direct-indirect fluorescent lamp module 2x14W;G5	117,24
10-511I-2021E		direct-indirect fluorescent lamp module 2x21W;G5	127,94
10-511I-2024E		direct-indirect fluorescent lamp module 2x24W;G5	117,24

10-511I-2028E		direct-indirect fluorescent lamp module 2x28W;G5	137,25
10-511I-2035E		direct-indirect fluorescent lamp module 2x35W;G5	163,03
10-511I-2039E		direct-indirect fluorescent lamp module 2x39W;G5	127,94
10-511I-2049E		direct-indirect fluorescent lamp module 2x49W;G5	163,03
10-511I-2054E		direct-indirect fluorescent lamp module 2x54W;G5	137,25
10-511I-2080E		direct-indirect fluorescent lamp module 2x80W;G5	186,78
10-511K-2014E		direct-indirect fluorescent lamp module 2x14W;G5	91,35
10-511K-2021E		direct-indirect fluorescent lamp module 2x21W;G5	95,09
10-511K-2024E		direct-indirect fluorescent lamp module 2x24W;G5	91,35
10-511K-2028E		direct-indirect fluorescent lamp module 2x28W;G5	99,59
10-511K-2035E		direct-indirect fluorescent lamp module 2x35W;G5	118,09
10-511K-2039E		direct-indirect fluorescent lamp module 2x39W;G5	95,09
10-511K-2049E		direct-indirect fluorescent lamp module 2x49W;G5	118,09
10-511K-2054E		direct-indirect fluorescent lamp module 2x54W;G5	99,59
10-512N-2014E		indirect fluorescent lamp module 2x14W;G5	110,56
10-512N-2021E		indirect fluorescent lamp module 2x21W;G5	117,24
10-512N-2024E		indirect fluorescent lamp module 2x24W;G5	110,56
10-512N-2028E		indirect fluorescent lamp module 2x28W;G5	124,80
10-512N-2035E		indirect fluorescent lamp module 2x35W;G5	148,58
10-512N-2039E		indirect fluorescent lamp module 2x39W;G5	117,24
10-512N-2049E		indirect fluorescent lamp module 2x49W;G5	148,58
10-512N-2054E		indirect fluorescent lamp module 2x54W;G5	124,80
10-521A-2014E		direct-indirect fluorescent lamp module 2x14W;G5	117,24
10-521A-2021E		direct-indirect fluorescent lamp module 2x21W;G5	127,94
10-521A-2024E		direct-indirect fluorescent lamp module 2x24W;G5	117,24
10-521A-2028E		direct-indirect fluorescent lamp module 2x28W;G5	137,25
10-521A-2035E		direct-indirect fluorescent lamp module 2x35W;G5	163,03
10-521A-2039E		direct-indirect fluorescent lamp module 2x39W;G5	127,94
10-521A-2049E		direct-indirect fluorescent lamp module 2x49W;G5	163,03
10-521A-2054E		direct-indirect fluorescent lamp module 2x54W;G5	137,25
10-521A-2080E		direct-indirect fluorescent lamp module 2x80W;G5	186,78
10-550A-2014E-P	E	system luminary 2x14W;G5	175,86
10-550A-2021E-P	E	system luminary 2x21W;G5	216,72
10-550A-2024E-P	E	system luminary 2x24W;G5	175,86
10-550A-2028E-P	E	system luminary 2x28W;G5	256,51
10-550A-2035E-P	E	system luminary 2x35W;G5	310,32
10-550A-2039E-P	E	system luminary 2x39W;G5	216,72
10-550A-2049E-P	E	system luminary 2x49W;G5	310,32
10-550A-2054E-P	E	system luminary 2x54W;G5	256,51
10-550A-2080E-P	E	system luminary 2x80W;G5	325,40
10-550I-2014E-P	E	system luminary 2x14W;G5	175,86
10-550I-2021E-P	E	system luminary 2x21W;G5	216,72
10-550I-2024E-P	E	system luminary 2x24W;G5	175,86
10-550I-2028E-P	E	system luminary 2x28W;G5	256,51
10-550I-2035E-P	E	system luminary 2x35W;G5	310,32
10-550I-2039E-P	E	system luminary 2x39W;G5	216,72
10-550I-2049E-P	E	system luminary 2x49W;G5	310,32
10-550I-2054E-P	E	system luminary 2x54W;G5	256,51
10-550I-2080E-P	E	system luminary 2x80W;G5	325,40
10-550K-2014E-P	E	system luminary 2x14W;G5	153,82
10-550K-2021E-P	E	system luminary 2x21W;G5	188,81
10-550K-2024E-P	E	system luminary 1x24W;G5	153,82
10-550K-2028E-P	E	system luminary 2x28W;G5	224,64
10-550K-2035E-P	E	system luminary 2x35W;G5	272,13
10-550K-2039E-P	E	system luminary 2x39W;G5	188,81
10-550K-2049EI-P	E	system luminary 2x49W;G5	280,80
10-550K-2049E-P	E	system luminary 2x49W;G5	272,13
10-550K-2054EI-P	E	system luminary 2x54W;G5	235,47
10-550K-2054E-P	E	system luminary 2x54W;G5	224,64
10-550N-1035E-P	E	system luminary 1x35W;G8,5	243,46
10-550N-1070E-P	E	system luminary 1x70W;G8,5	243,46
10-550N-1100R-P	E	system luminary 1x100W;G53	104,30
10-551A-2014E-P	E	direct-indirect system luminary 2x14W;G5	172,44
10-551A-2021E-P	E	direct-indirect system luminary 2x21W;G5	211,59
10-551A-2024E-P	E	direct-indirect system luminary 2x24W;G5	172,44
10-551A-2028E-P	E	direct-indirect system luminary 2x28W;G5	249,45
10-551A-2035E-P	E	direct-indirect system luminary 2x35W;G5	301,55
10-551A-2039E-P	E	direct-indirect system luminary 2x39W;G5	211,59
10-551A-2049E-P	E	direct-indirect system luminary 2x49W;G5	301,55
10-551A-2054E-P	E	direct-indirect system luminary 2x54W;G5	249,45
10-551A-2080E-P	E	direct-indirect system luminary 2x80W;G5	319,73
10-551I-2014E-P	E	direct-indirect system luminary 2x14W;G5	172,44

10-551I-2021E-P	E	direct-indirect system luminary 2x21W;G5	211,59
10-551I-2024E-P	E	direct-indirect system luminary 2x24W;G5	172,44
10-551I-2028E-P	E	direct-indirect system luminary 2x28W;G5	249,45
10-551I-2035E-P	E	direct-indirect system luminary 2x35W;G5	301,55
10-551I-2039E-P	E	direct-indirect system luminary 2x39W;G5	211,59
10-551I-2049E-P	E	direct-indirect system luminary 2x49W;G5	301,55
10-551I-2054E-P	E	direct-indirect system luminary 2x54W;G5	249,45
10-551I-2080E-P	E	direct-indirect system luminary 2x80W;G5	319,73
10-551K-2014E-P	E	direct-indirect system luminary 2x14W;G5	150,40
10-551K-2021E-P	E	direct-indirect system luminary 2x21W;G5	183,56
10-551K-2024E-P	E	direct-indirect system luminary 2x24W;G5	150,40
10-551K-2028E-P	E	direct-indirect system luminary 2x28W;G5	217,58
10-551K-2035E-P	E	direct-indirect system luminary 2x35W;G5	263,37
10-551K-2039E-P	E	direct-indirect system luminary 2x39W;G5	183,56
10-551K-2049EI-P	E	direct-indirect system luminary 2x49W;G5	274,19
10-551K-2049E-P	E	direct-indirect system luminary 2x49W;G5	263,37
10-551K-2054A		direct-indirect system luminary 2x54W G5	272,41
10-551K-2054EI-P	E	direct-indirect system luminary 2x54W;G5	228,41
10-551K-2054E-P	E	direct-indirect system luminary 2x54W;G5	217,58
10-552N-2014E-P	E	indirect system luminary 2x14W;G5	192,28
10-552N-2021E-P	E	indirect system luminary 2x21W;G5	236,01
10-552N-2024E-P	E	indirect system luminary 2x24W;G5	192,28
10-552N-2028E-P	E	indirect system luminary 2x28W;G5	280,80
10-552N-2035E-P	E	indirect system luminary 2x35W;G5	340,17
10-552N-2039E-P	E	indirect system luminary 2x39W;G5	236,01
10-552N-2049E-P	E	indirect system luminary 2x49W;G5	340,17
10-552N-2054E-P	E	indirect system luminary 2x54W;G5	280,80
10-571A-2014E-P	E	direct-indirect system luminary 2x14W;G5	172,44
10-571A-2021E-P	E	direct-indirect system luminary 2x21W;G5	211,59
10-571A-2024E-P	E	direct-indirect system luminary 2x24W;G5	172,44
10-571A-2028E-P	E	direct-indirect system luminary 2x28W;G5	249,45
10-571A-2035E-P	E	direct-indirect system luminary 2x35W;G5	301,55
10-571A-2039E-P	E	direct-indirect system luminary 2x39W;G5	211,59
10-571A-2049E-P	E	direct-indirect system luminary 2x49W;G5	301,55
10-571A-2054E-P	E	direct-indirect system luminary 2x54W;G5	249,45
10-571A-2080E-P	E	direct-indirect system luminary 2x80W;G5	319,73
12-0001	W	reflector 28/54W	16,05
12-0002	W	reflector 35/49/80W	22,73
12-551A-1028E	E	direct-indirect pendant luminaire 1x28W;G5	171,42
12-551A-1035E	E	direct-indirect pendant luminaire 1x35W;G5	204,58
12-551A-1049E	E	direct-indirect pendant luminaire 1x49W;G5	204,58
12-551A-1054E	E	direct-indirect pendant luminaire 1x54W;G5	171,42
12-551A-1080E	E	direct-indirect pendant luminaire 1x80W;G5	236,40
12-551A-2028E	E	direct-indirect pendant luminaire 2x28W;G5	174,77
12-551A-2035E	E	direct-indirect pendant luminaire 2x35W;G5	207,93
12-551A-2049E	E	direct-indirect pendant luminaire 2x49W;G5	207,93
12-551A-2054E	E	direct-indirect pendant luminaire 2x54W;G5	174,77
12-551A-2080E	E	direct-indirect pendant luminaire 2x80W;G5	239,75
12-551I-1028E	E	direct-indirect pendant luminaire 1x28W;G5	171,42
12-551I-1035E	E	direct-indirect pendant luminaire 1x35W;G5	204,58
12-551I-1049E	E	direct-indirect pendant luminaire 1x49W;G5	204,58
12-551I-1054E	E	direct-indirect pendant luminaire 1x54W;G5	171,42
12-551K-1028E	E	direct-indirect pendant luminaire 1x28W;G5	171,42
12-551K-1035E	E	direct-indirect pendant luminaire 1x35W;G5	204,58
12-551K-1049E	E	direct-indirect pendant luminaire 1x49W;G5	204,58
12-551K-1054E	E	direct-indirect pendant luminaire 1x54W;G5	171,42
12-551K-1080E		direct-indirect pendant luminaire 1x80W;G6	239,75
13-0001	B	wire suspension 2000mm, set of 4 pcs	25,95
13-0001	S	wire suspension 2000mm, set of 4 pcs	25,95
13-0001	W	wire suspension 2000mm, set of 4 pcs	25,95
13-0002	B	wire suspension 3 wires, for cable 2000mm	25,95
13-0002	S	wire suspension 3 wires, for cable 2000mm	25,95
13-0002	W	wire suspension 3 wires, for cable 2000mm	25,95
13-100K-4014E	B	semi-recessed luminaire 600x600mm 4x14W;G5	267,43
13-100K-4014E	E	semi-recessed luminaire 600x600mm 4x14W;G5	267,43
13-100K-4014E	W	semi-recessed luminaire 600x600mm 4x14W;G5	267,43
13-100K-4024E	B	semi-recessed luminaire 600x600mm 4x24W;G5	267,43
13-100K-4024E	E	semi-recessed luminaire 600x600mm 4x24W;G5	267,43
13-100K-4024E	W	semi-recessed luminaire 600x600mm 4x24W;G5	267,43
13-200K-2014E	E	surface luminaire 2x14W;G5	122,89
13-200K-2021E	E	surface luminaire 2x21W;G5	137,46
13-200K-2024E	E	surface luminaire 2x24W;G5	122,89

13-200K-2028E	E	surface luminaire 2x28W;G5	156,99
13-200K-2035E	E	surface luminaire 2x35W;G5	179,58
13-200K-2039E	E	surface luminaire 2x39W;G5	137,46
13-200K-2049E	E	surface luminaire 2x49W;G5	179,58
13-200K-2054E	E	surface luminaire 2x54W;G5	156,99
13-200K-4014E	E	surface luminaire 600x600mm 4x14W;G5	203,52
13-200K-4021E	E	surface luminaire 900x900mm 4x21W;G5	415,85
13-200K-4024E	E	surface luminaire 600x600mm 4x24W;G5	211,54
13-200K-4039E	E	surface luminaire 900x900mm 4x39W;G5	415,85
13-200K-6039E	E	surface luminaire 6x39W;G5	470,67
13-200K-6021E			470,68
13-210A-2028E	BB	surface luminaire 2x28W;G5	133,71
13-210A-2028E	BW	surface luminaire 2x28W;G5	133,71
13-210A-2028E	EB	surface luminaire 2x28W;G5	133,71
13-210A-2028E	EW	surface luminaire 2x28W;G5	133,71
13-210A-2028E	WB	surface luminaire 2x28W;G5	133,71
13-210A-2028E	WW	surface luminaire 2x28W;G5	133,71
13-210A-2035E	BB	surface luminaire 2x35W;G5	173,83
13-210A-2035E	EB	surface luminaire 2x35W;G5	173,83
13-210A-2035E	EW	surface luminaire 2x35W;G5	173,83
13-210A-2035E	WW	surface luminaire 2x35W;G5	173,83
13-210A-2049E	BB	surface luminaire 2x49W;G5	173,83
13-210A-2049E	EB	surface luminaire 2x49W;G5	173,83
13-210A-2049E	EW	surface luminaire 2x49W;G5	173,83
13-210A-2049E	WW	surface luminaire 2x49W;G5	173,83
13-210A-2054E	BB	surface luminaire 2x54W;G5	133,71
13-210A-2054E	BW	surface luminaire 2x54W;G5	133,71
13-210A-2054E	EB	surface luminaire 2x54W;G5	133,71
13-210A-2054E	EW	surface luminaire 2x54W;G5	133,71
13-210A-2054E	WB	surface luminaire 2x54W;G5	133,71
13-210A-2054E	WW	surface luminaire 2x54W;G5	133,71
13-210A-2080E	BB	surface luminaire 2x80W;G5	205,65
13-210A-2080E	EB	surface luminaire 2x80W;G5	205,65
13-210A-2080E	EW	surface luminaire 2x80W;G5	205,65
13-210A-2080E	WW	surface luminaire 2x80W;G5	205,65
13-240K-1040E	B	surface luminaire 1x40W;2GX13	181,98
13-240K-1040E	E	surface luminaire 1x40W;2GX13	181,98
13-240K-1040E	W	surface luminaire 1x40W;2GX13	181,98
13-240K-2024E	E	surface luminaire 340x340mm 2x24W;2G10	181,98
13-244K-1040E	B	surface luminaire 1x40W;2GX13	216,75
13-244K-1040E	E	surface luminaire 1x40W;2GX13	216,75
13-244K-1040E	W	surface luminaire 1x40W;2GX13	216,75
13-250K-1022E	B	surface luminaire 1x22W;2GX13	100,56
13-250K-1022E	E	surface luminaire 1x22W;2GX13	105,63
13-250K-1022E	W	surface luminaire 1x22W;2GX13	100,56
13-250K-1040E	B	surface luminaire 1x40W;2GX13	129,43
13-250K-1040E	E	surface luminaire 1x40W;2GX13	129,43
13-250K-1040E	W	surface luminaire 1x40W;2GX13	129,43
13-250K-1V1UE	B	surface luminaire 1x40W+1x22W;2GX13	122,89
13-250K-1V1UE	E	surface luminaire 1x40W+1x22W;2GX13	133,44
13-250K-1V1UE	W	surface luminaire 1x40W+1x22W;2GX13	122,89
13-300K-1014E	E	wall luminaire 1x14W;G5	136,79
13-300K-1021E	E	wall luminaire 1x21W;G5	158,45
13-300K-1024E	E	wall luminaire 1x24W;G5	136,79
13-300K-1028E	E	wall luminaire 1x28W;G5	181,72
13-300K-1035E	E	wall luminaire 1x35W;G5	196,29
13-300K-1039E	E	wall luminaire 1x39W;G5	158,45
13-300K-1049E	E	wall luminaire 1x49W;G5	196,29
13-300K-1054E	E	wall luminaire 1x54W;G5	181,72
13-300K-2014E	E	wall luminaire 2x14W;G5	161,00
13-300K-2021E	E	wall luminaire 2x21W;G5	177,57
13-300K-2024E	E	wall luminaire 2x24W;G5	161,00
13-300K-2028E	E	wall luminaire 2x28W;G5	204,31
13-300K-2035E	E	wall luminaire 2x35W;G5	244,97
13-300K-2039E	E	wall luminaire 2x39W;G5	177,57
13-300K-2049E	E	wall luminaire 2x49W;G5	244,97
13-300K-2054E	E	wall luminaire 2x54W;G5	204,31
13-301K-1021E	E	wall luminaire 1x21W;G5	158,45
13-301K-1024E	E	wall luminaire 1x24W;G5	136,79
13-301K-1028E	E	wall luminaire 1x28W;G5	181,72
13-301K-1035E	E	wall luminaire 1x35W;G5	196,29
13-301K-1039E	E	wall luminaire 1x39W;G5	158,45

13-301K-1049E	E	wall luminaire 1x49W;G5	196,29
13-301K-1054E	E	wall luminaire 1x54W;G5	181,72
13-301K-2014E	E	wall luminaire 2x14W;G5	161,00
13-301K-2021E	E	wall luminaire 2x21W;G5	177,57
13-301K-2024E	E	wall luminaire 2x24W;G5	161,00
13-301K-2028E	E	wall luminaire 2x28W;G5	204,31
13-301K-2035E	E	wall luminaire 2x35W;G5	244,97
13-301K-2039E	E	wall luminaire 2x39W;G5	177,57
13-301K-2049E	E	wall luminaire 2x49W;G5	244,97
13-301K-2054E	E	wall luminaire 2x54W;G5	204,31
13-501K-4014E	E	pendant D/I luminaire 600x600mm 4x14W;G5	257,53
13-501K-4021E	E	pendant D/I luminaire 900x900mm 4x21W;G5	469,88
13-501K-4024E	E	pendant D/I luminaire 600x600mm 4x24W;G5	265,55
13-501K-4039E	E	pendant D/I luminaire 900x900mm 4x39W;G5	469,88
13-501K-6021E	E	pendant D/I luminaire 6x21W;G5	535,40
13-501K-6039E	E	pendant D/I luminaire 6x39W;G5	535,40
13-511A-2028E	BB	pendant luminaire 2x28W;G5	133,71
13-511A-2028E	BW	pendant luminaire 2x28W;G5	133,71
13-511A-2028E	EB	pendant luminaire 2x28W;G5	133,71
13-511A-2028E	EW	pendant luminaire 2x28W;G5	133,71
13-511A-2028E	WB	pendant luminaire 2x28W;G5	133,71
13-511A-2028E	WW	pendant luminaire 2x28W;G5	133,71
13-511A-2035E	BB	pendant luminaire 2x35W;G5	173,83
13-511A-2035E	EB	pendant luminaire 2x35W;G5	173,83
13-511A-2035E	EW	pendant luminaire 2x35W;G5	173,83
13-511A-2035E	WW	pendant luminaire 2x35W;G5	173,83
13-511A-2049E	BB	pendant luminaire 2x49W;G5	173,83
13-511A-2049E	EB	pendant luminaire 2x49W;G5	173,83
13-511A-2049E	EW	pendant luminaire 2x49W;G5	173,83
13-511A-2049E	WW	pendant luminaire 2x49W;G5	173,83
13-511A-2054E	BB	pendant luminaire 2x54W;G5	133,71
13-511A-2054E	BW	pendant luminaire 2x54W;G5	133,71
13-511A-2054E	EB	pendant luminaire 2x54W;G5	133,71
13-511A-2054E	EW	pendant luminaire 2x54W;G5	133,71
13-511A-2054E	WB	pendant luminaire 2x54W;G5	133,71
13-511A-2054E	WW	pendant luminaire 2x54W;G5	133,71
13-511A-2080E	BB	pendant luminaire 2x80W;G5	205,65
13-511A-2080E	EB	pendant luminaire 2x80W;G5	205,65
13-511A-2080E	EW	pendant luminaire 2x80W;G5	205,65
13-511A-2080E	WW	pendant luminaire 2x80W;G5	205,65
13-511K-2021E	E	pendant luminaire 2x21W;G5	165,54
13-511K-2028E	E	pendant luminaire 2x28W;G5	189,33
13-511K-2035E	E	pendant luminaire 2x35W;G5	214,61
13-511K-2039E	E	pendant luminaire 2x39W;G5	165,54
13-511K-2049E	E	pendant luminaire 2x49W;G5	214,61
13-511K-2054E	E	pendant luminaire 2x54W;G5	189,33
13-540N-4050R	BB	pendant luminaire 4x50W;G53	239,35
13-540N-4050R	EB	pendant luminaire 4x50W;G53	239,35
13-540N-4050R	EW	pendant luminaire 4x50W;G53	239,35
13-540N-4050R	WW	pendant luminaire 4x50W;G53	239,35
13-551K-1V1UE	B	direct-indirect surface luminaire 1x40W+1x22W;2GX13	176,90
13-551K-1V1UE	E	direct-indirect surface luminaire 1x40W+1x22W;2GX13	187,47
13-551K-1V1UE	W	direct-indirect surface luminaire 1x40W+1x22W;2GX13	176,90
13-701I-4055E	S	free-standing luminaire 4x55W;2G11	503,43
13-701J-4055E	S	free-standing luminaire 4x55W;2G11	503,43
14-200K-4014E	E	surface luminaire 4x14W;G5	345,86
14-200K-4024E	E	surface luminaire 4x24W;G5	354,15
14-200K-4J1AV	E	surface luminaire 4x36W+1x50W;2G11+G53	598,29
14-200K-4J1HV	E	surface luminaire 4x36W+1x35W;2G11+G8,5	710,59
14-200K-4J4AV	E	surface luminaire 4x55W+4x50W;2G11+G53	1 108,27
14-200K-4J4HV	E	surface luminaire 4x55W+4x35W;2G11+G8,5	1 557,45
14-200K-6021E	E	surface luminaire 6x21W;G5	714,56
14-200K-6039E	E	surface luminaire 6x39W;G5	714,56
14-250K-1060E	E	D = 450mm 1x60T16-R ; 2GX13	224,77
14-250K-1U1WE	E	D = 450mm 1x22T16-R + 1x60T16-R	289,49
14-250K-1W1AV	E	D = 450mm 1x60T16-R+1x50max	298,31
14-250K-1W1HV	E	D = 450mm 1x60T16-R+1x35	424,00
14-260K-4022E	E	D = 650mm 4x22T16-R	365,58
14-260K-4E2JE	E	D = 650mm 4x24T16 + 2x24TC-L	365,58
14-270K-4C4DE	E	D = 950mm 4x14T16, 4x21WT16	742,78
14-270K-4E4FE	E	D = 950mm 4x24T16, 4x39WT16	742,78
14-501K-4014E	E	direct-indirect pendant luminaire 4x14W;G5	399,93

14-501K-4024E	E	direct-indirect pendant luminaire 4x24W;G5	408,23
14-501K-6021E	E	direct-indirect pendant luminaire 6x21W;G5	779,28
14-501K-6039E	E	direct-indirect pendant luminaire 6x39W;G5	779,28
14-571K-4E4FE			837,76
14-561k-4022e			426,28
15-0001	N	T-group joint	2,01
15-0002		remote control Actilum Color	180,91
15694		glass for wall luminaire 03-060K-2039E	47,23
15-200K-1221D	E	slave luminaire (DALI) 12x21W;G5	1 996,35
15-201K-1221D	E	main/master luminaire without sensor controlled by a remote control 12x21W; G5	2 619,33
15-202K-1221D	E	main/master luminaire with sensor controlled by a remote control 12x21W;G5	2 672,15
18-501K-4014E	B	pendant luminaire 4x14W;G5	594,23
18-501K-4014E	S	pendant luminaire 4x14W;G5	594,23
18-501K-4014E	W	pendant luminaire 4x14W;G5	594,23
18-501K-4024E	B	pendant luminaire 4x24W;G5	594,23
18-501K-4024E	S	pendant luminaire 4x24W;G5	594,23
18-501K-4024E	W	pendant luminaire 4x24W;G5	594,23
19-0001	S	wire suspension 2 wires 2000mm, cable 4x0,75mm, ceiling cup	25,95
19-0002	S	wire suspension 2 wires 2000mm, cable 5x0,75mm, ceiling cup	28,62
19-0003	S	wire suspension 3 wires 2000mm, cable 4x0,75mm, ceiling cup	25,95
19-0004	S	wire suspension 3 wires 2000mm, cable 5x0,75mm, ceiling cup	28,62
19-0005	S	assembly kits for surface luminaire 19-501K-2021/39 - 40x40	26,74
19-0006	S	assembly kits for surface luminaire 19-501K-2028/54 - 40x40	40,11
19-0007	S	assembly kits for surface luminaire 19-501K-2035/49/80 - 40x	53,49
19-200I-2021E	E	surface/pendant luminaire - direct 2x21W;G5	203,91
19-200I-2028E	E	surface/pendant luminaire - direct 2x28W;G5	237,21
19-200I-2035E	E	surface/pendant luminaire - direct 2x35W;G5	285,75
19-200I-2039E	E	surface/pendant luminaire - direct 2x39W;G5	203,91
19-200I-2039EI	E	surface/pendant luminaire - direct 2x21/39W;G5	214,74
19-200I-2049E	E	surface/pendant luminaire - direct 2x49W;G5	285,75
19-200I-2049EI	E	surface/pendant luminaire - direct 2x35/49W;G5	296,58
19-200I-2054E	E	surface/pendant luminaire - direct 2x54W;G5	237,21
19-200I-2054EI	E	surface/pendant luminaire - direct 2x28/54W;G5	248,04
19-200I-2080E	E	surface/pendant luminaire - direct 2x80W;G5	307,81
19-200I-2080EI	E	surface/pendant luminaire - direct 2x35/49/80W;G5	318,64
19-200K-2021E	E	surface/pendant luminaire - direct 2x21W;G5	180,12
19-200K-2028E	E	surface/pendant luminaire - direct 2x28W;G5	205,12
19-200K-2035E	E	surface/pendant luminaire - direct 2x35W;G5	230,12
19-200K-2039E	E	surface/pendant luminaire - direct 2x39W;G5	180,12
19-200K-2039EI	E	surface/pendant luminaire - direct 2x21/39W;G5	190,94
19-200K-2049E	E	surface/pendant luminaire - direct 2x49W;G5	230,12
19-200K-2049EI	E	surface/pendant luminaire - direct 2x35/49W;G5	240,96
19-200K-2054E	E	surface/pendant luminaire - direct 2x54W;G5	205,12
19-200K-2054EI	E	surface/pendant luminaire - direct 2x28/54W;G5	215,95
19-200K-2080E	E	surface/pendant luminaire - direct 2x80W;G5	250,59
19-200K-2080EI	E	surface/pendant luminaire - direct 2x35/49/80W;G5	261,41
19-251K-1040E	E	surface/pendant round luminaire - direct/indirect 1x40W;2GX1	198,44
19-251K-1V1UE	E	surface/pendant round luminaire - direct/indirect 1x22W + 1x	202,45
19-501I-2021E	E	pendant luminaire - direct/indirect 2x21;G5	217,29
19-501I-2028E	E	pendant luminaire - direct/indirect 2x28W;G5	257,27
19-501I-2035E	E	pendant luminaire - direct/indirect 2x35W;G5	312,49
19-501I-2039E	E	pendant luminaire - direct/indirect 2x39W;G5	217,29
19-501I-2039EI	E	pendant luminaire - direct/indirect 2x21/39W;G5	228,11
19-501I-2049E	E	pendant luminaire - direct/indirect 2x49W;G5	312,49
19-501I-2054E	E	pendant luminaire - direct/indirect 2x54W;G5	257,27
19-501I-2054EI	E	pendant luminaire - direct/indirect 2x28/54W;G5	401,81
19-501I-2080E	E	pendant luminaire - direct/indirect 2x80W;G5	323,32
19-501I-2080EI	E	pendant luminaire - direct/indirect 2x35/49/80W;G5	334,56
19-501K-2021E	E	pendant luminaire - direct/indirect 2x21;G5	193,49
19-501K-2028E	E	pendant luminaire - direct/indirect 2x28W;G5	225,18
19-501K-2035E	E	pendant luminaire - direct/indirect 2x35W;G5	256,86
19-501K-2039E	E	pendant luminaire - direct/indirect 2x39W;G5	193,49
19-501K-2039EI	E	pendant luminaire - direct/indirect 2x21/39W;G5	204,31
19-501K-2049E	E	pendant luminaire - direct/indirect 2x49W;G5	256,86
19-501K-2054E	E	pendant luminaire - direct/indirect 2x54W;G5	225,18
19-501K-2054EI	E	pendant luminaire - direct/indirect 2x28/54W;G5	236,01
19-501K-2080E	E	pendant luminaire - direct/indirect 2x80W;G5	277,33
19-501K-2080EI	E	pendant luminaire - direct/indirect 2x35/49/80W;G5	288,15
20-0008	S	body profile	68,35
20-0009	S	joint 90°, metal	42,52

20-0010	N	direct joint	4,01
20-0011	S	distance joint	28,88
20-0012	N	wire suspension 2000mm	16,71
20-0013	S	wire suspension, 2 parallel wires, suitable for power supply	28,08
20-0014	S	wire suspension, 2 parallel wires, not suitable power supply	27,95
20-0016	S	end cap „U“	29,96
20-520A-2014E	S	module for lighting system 2x14W;G5	159,79
20-520A-2021E	S	module for lighting system 2x21W;G5	177,97
20-520A-2024E	S	module for lighting system 2x24W;G5	159,79
20-520A-2028E	S	module for lighting system 2x28W;G5	196,02
20-520A-2035E	S	module for lighting system 2x35W;G5	228,11
20-520A-2039E	S	module for lighting system 2x39W;G5	177,97
20-520A-2049E	S	module for lighting system 2x49W;G5	228,11
20-520A-2054E	S	module for lighting system 2x54W;G5	196,02
20-520A-2080E	S	module for lighting system 2x80W;G5	246,03
20-520K-2021E	S	module for lighting system 2x21W;G5	157,04
20-520K-2028E	S	module for lighting system 2x28W;G5	180,78
20-520K-2035E	S	module for lighting system 2x35W;G5	203,46
20-520K-2039E	S	module for lighting system 2x39W;G5	157,04
20-520K-2049E	S	module for lighting system 2x49W;G5	203,46
20-520K-2054E	S	module for lighting system 2x54W;G5	180,78
20-521A-2014E	S	module for lighting system 2x14W;G5	159,79
20-521A-2021E	S	module for lighting system 2x21W;G5	177,97
20-521A-2024E	S	module for lighting system 2x24W;G5	159,79
20-521A-2028E	S	module for lighting system 2x28W;G5	196,02
20-521A-2035E	S	module for lighting system 2x35W;G5	228,11
20-521A-2039E	S	module for lighting system 2x39W;G5	177,97
20-521A-2049E	S	module for lighting system 2x49W;G5	228,11
20-521A-2054E	S	module for lighting system 2x54W;G5	196,02
20-521A-2080E	S	module for lighting system 2x80W;G5	246,03
20-521K-2021E	S	module for lighting system 2x21W;G5	173,73
20-521K-2028E	S	module for lighting system 2x28W;G5	199,08
20-521K-2035E	S	module for lighting system 2x35W;G5	226,03
20-521K-2039E	S	module for lighting system 2x39W;G5	173,73
20-521K-2049E	S	module for lighting system 2x49W;G5	226,03
20-521K-2054E	S	module for lighting system 2x54W;G5	199,08
20-523N-1100R	S	module for lighting system 1x100W;G53	109,65
20-523N-2100R	S	module for lighting system 2x100W;G53	175,44
20-523N-3100R	S	pendant luminaire 3x100W;G53	244,30
20-524N-1035E	S	module for lighting system 1x35W;E27	247,50
20-524N-1070E	S	module for lighting system 1x70W;E27	247,50
20-525F-1035E	S	module for lighting system 1x35W;G12	219,19
20-525F-1050E	S	module for lighting system 1x50W;GX12-1	303,58
20-525F-1070E	S	module for lighting system 1x70W;G12	219,19
20-525F-1100E	S	module for lighting system 1x100W;GX12-1	303,58
20-525F-1150E	S	module for lighting system 1x150W;G12	280,05
20-525S-1035E	S	module for lighting system 1x35W;G12	219,19
20-525S-1050E	S	module for lighting system 1x50W;GX12-1	303,58
20-525S-1070E	S	module for lighting system 1x70W;G12	219,19
20-525S-1100E	S	module for lighting system 1x100W;GX12-1	303,58
20-525S-1150E	S	module for lighting system 1x150W;G12	280,05
20-526N-1035E	S	module for lighting system 1x35W;GX8,5	226,12
20-526N-1070E	S	module for lighting system 1x70W;GX8,5	226,12
20-526N-2035E	S	module for lighting system 2x35W;GX8,5	327,93
20-526N-2070E	S	module for lighting system 2x70W;GX8,5	327,93
21-000N-1100L	S	recessed luminaire 1x100W;G53	43,73
21-000N-1100L	W	recessed luminaire 1x100W;G53	41,45
21-000N-2100L	S	recessed luminaire 2x100W;G53	70,07
21-000N-2100L	W	recessed luminaire 2x100W;G53	65,52
21-000N-3100L	S	recessed luminaire 3x100W;G53	100,16
21-000N-3100L	W	recessed luminaire 3x100W;G53	93,33
21-000N-4100L	S	recessed luminaire 4x100W;G53	139,73
21-000N-4100L	W	recessed luminaire 4x100W;G53	129,30
21-001N-1	S	recessed luminaire 1x35/70W;GX8,5	73,14
21-001N-1	W	recessed luminaire 1x35/70W;GX8,5	70,87
21-001N-2	S	recessed luminaire 2x35/70W;GX8,5	128,10
21-001N-2	W	recessed luminaire 2x35/70W;GX8,5	123,56
21-001N-3	S	recessed luminaire 3x35/70W;GX8,5	187,07
21-001N-3	W	recessed luminaire 3x35/70W;GX8,5	180,24
21-001N-4	S	recessed luminaire 4x35/70W;GX8,5	253,52
21-001N-4	W	recessed luminaire 4x35/70W;GX8,5	245,37
21-002N-1	S	recessed luminaire 1x35/70W;E27	66,46

21-002N-1	W	recessed luminaire 1x35/70W;E27	64,18
21-002N-2	S	recessed luminaire 2x35/70W;E27	114,72
21-002N-2	W	recessed luminaire 2x35/70W;E27	110,19
21-002N-3	S	recessed luminaire 3x35/70W;E27	167,01
21-002N-3	W	recessed luminaire 3x35/70W;E27	160,19
21-002N-4	S	recessed luminaire 4x35/70W;E27	227,71
21-002N-4	W	recessed luminaire 4x35/70W;E27	218,62
21-003F-1	S	recessed luminaire 1x35/70W;G12	84,64
21-003F-1	W	recessed luminaire 1x35/70W;G12	82,36
21-003F-2	S	recessed luminaire 2x35/70W;G12	151,10
21-003F-2	W	recessed luminaire 2x35/70W;G12	146,55
21-003F-3	S	recessed luminaire 3x35/70W;G12	221,57
21-003F-3	W	recessed luminaire 3x35/70W;G12	214,74
21-003F-4	S	recessed luminaire 4x35/70W;G12	301,80
21-003F-4	W	recessed luminaire 4x35/70W;G12	291,37
21-003S-1	S	recessed luminaire 1x35/70W;G12	84,64
21-003S-1	W	recessed luminaire 1x35/70W;G12	82,36
21-003S-2	S	recessed luminaire 2x35/70W;G12	151,10
21-003S-2	W	recessed luminaire 2x35/70W;G12	146,55
21-003S-3	S	recessed luminaire 3x35/70W;G12	221,57
21-003S-3	W	recessed luminaire 3x35/70W;G12	214,74
21-003S-4	S	recessed luminaire 4x35/70W;G12	301,80
21-003S-4	W	recessed luminaire 4x35/70W;G12	291,37
21-200N-1050R	S	surface luminaire 1x50W;G53	94,54
21-200N-1050R	W	surface luminaire 1x50W;G53	92,26
21-200N-2050R	S	surface luminaire 2x50W;G53	151,64
21-200N-2050R	W	surface luminaire 2x50W;G53	147,09
21-200N-3050R	S	surface luminaire 3x50W;G53	212,48
21-200N-3050R	W	surface luminaire 3x50W;G53	205,65
21-200N-4050R	S	surface luminaire 4x50W;G53	288,15
21-200N-4050R	W	surface luminaire 4x50W;G53	279,06
21-340N-2050R	E	wall luminaire 2x50W;G53	141,88
21-340N-3050R	E	wall luminaire 3x50W;G53	197,24
21-340N-4050R	E	wall luminaire 4x50W;G53	253,68
21-540N-2100R	E	pendant luminaire 2x100W;G53	165,93
21-540N-3100R	E	pendant luminaire 3x100W;G53	227,44
21-540N-4100R	E	pendant luminaire 4x100W;G53	291,23
21-560N-4100R	E	pendant luminaire 4x100W;G53	290,29
23-010N-1100L	E	recessed luminaire 1x100W;G53	67,92
23-010N-1100L	S	recessed luminaire 1x100W;G53	67,40
23-010N-1100L	W	recessed luminaire 1x100W;G53	65,57
23-010N-1J2A	E	recessed luminaire 1x55W+2x100W;2G11+G53	304,64
23-010N-1J2A	S	recessed luminaire 1x55W+2x100W;2G11+G53	302,55
23-010N-1J2A	W	recessed luminaire 1x55W+2x100W;2G11+G53	291,77
23-010N-2100L	E	recessed luminaire 2x100W;G53	114,57
23-010N-2100L	S	recessed luminaire 2x100W;G53	113,81
23-010N-2100L	W	recessed luminaire 2x100W;G53	110,19
23-010N-3100L	E	recessed luminaire 3x100W;G53	150,51
23-010N-3100L	S	recessed luminaire 3x100W;G53	149,54
23-010N-3100L	W	recessed luminaire 3x100W;G53	144,09
23-010N-4100L	E	recessed luminaire 4x100W;G53	187,84
23-010N-4100L	S	recessed luminaire 4x100W;G53	186,66
23-010N-4100L	W	recessed luminaire 4x100W;G53	179,40
23-011N-1	E	recessed luminaire 1x35/70W;GX8,5	91,47
23-011N-1	S	recessed luminaire 1x35/70W;GX8,5	90,93
23-011N-1	W	recessed luminaire 1x35/70W;GX8,5	89,11
23-011N-1J2H	E	recessed luminaire 1x55W+2x35/70W;2G11+GX11	342,87
23-011N-1J2H	S	recessed luminaire 1x55W+2x35/70W;2G11+GX11	340,79
23-011N-1J2H	W	recessed luminaire 1x55W+2x35/70W;2G11+GX11	330,02
23-011N-2	E	recessed luminaire 2x35/70W;GX8,5	161,64
23-011N-2	S	recessed luminaire 2x35/70W;GX8,5	160,88
23-011N-2	W	recessed luminaire 2x35/70W;GX8,5	157,24
23-011N-3	E	recessed luminaire 3x35/70W;GX8,5	221,10
23-011N-3	S	recessed luminaire 3x35/70W;GX8,5	220,15
23-011N-3	W	recessed luminaire 3x35/70W;GX8,5	214,69
23-011N-4	E	recessed luminaire 4x35/70W;GX8,5	281,98
23-011N-4	S	recessed luminaire 4x35/70W;GX8,5	283,69
23-011N-4	W	recessed luminaire 4x35/70W;GX8,5	273,52
23-013F-1	E	recessed luminaire 1x35/70/150W;G12	100,02
23-013F-1	S	recessed luminaire 1x35/70/150W;G12	99,49
23-013F-1	W	recessed luminaire 1x35/70/150W;G12	97,66
23-013F-1J2D	E	recessed luminaire 1x55W+2x35/70/150W;2G11+G12	348,61

23-013F-1J2D	S	recessed luminaire 1x55W+2x35/70/150W;2G11+G12	346,53
23-013F-1J2D	W	recessed luminaire 1x55W+2x35/70/150W;2G11+G12	335,75
23-013F-2	E	recessed luminaire 2x35/70/150W;G12	178,75
23-013F-2	S	recessed luminaire 2x35/70/150W;G12	177,99
23-013F-2	W	recessed luminaire 2x35/70/150W;G12	174,37
23-013F-3	E	recessed luminaire 3x35/70/150W;G12	246,78
23-013F-3	S	recessed luminaire 3x35/70/150W;G12	245,82
23-013F-3	W	recessed luminaire 3x35/70/150W;G12	240,36
23-013F-4	E	recessed luminaire 4x35/70/150W;G12	316,21
23-013F-4	S	recessed luminaire 4x35/70/150W;G12	315,03
23-013F-4	W	recessed luminaire 4x35/70/150W;G12	307,76
23-013S-1	E	recessed luminaire 1x35/70/150W;G12	100,02
23-013S-1	S	recessed luminaire 1x35/70/150W;G12	99,49
23-013S-1	W	recessed luminaire 1x35/70/150W;G12	97,66
23-013S-1J2D	E	recessed luminaire 1x55W+2x35/70/150W;2G11+G12	348,61
23-013S-1J2D	S	recessed luminaire 1x55W+2x35/70/150W;2G11+G12	346,53
23-013S-1J2D	W	recessed luminaire 1x55W+2x35/70/150W;2G11+G12	335,75
23-013S-2	E	recessed luminaire 2x35/70/150W;G12	178,75
23-013S-2	S	recessed luminaire 2x35/70/150W;G12	177,99
23-013S-2	W	recessed luminaire 2x35/70/150W;G12	174,37
23-013S-3	E	recessed luminaire 3x35/70/150W;G12	246,78
23-013S-3	S	recessed luminaire 3x35/70/150W;G12	245,82
23-013S-3	W	recessed luminaire 3x35/70/150W;G12	240,36
23-013S-4	E	recessed luminaire 4x35/70/150W;G12	316,21
23-013S-4	S	recessed luminaire 4x35/70/150W;G12	315,03
23-013S-4	W	recessed luminaire 4x35/70/150W;G12	307,76
23-014F-1	E	recessed luminaire 1x50/100W;GX12-1	101,40
23-014F-1	S	recessed luminaire 1x50/100W;GX12-1	100,88
23-014F-1	W	recessed luminaire 1x50/100W;GX12-1	99,05
23-014F-1J2K	E	recessed luminaire 1x55W+2x50/100W;2G11+GX12-1	350,87
23-014F-1J2K	S	recessed luminaire 1x55W+2x50/100W;2G11+GX12-1	348,79
23-014F-1J2K	W	recessed luminaire 1x55W+2x50/100W;2G11+GX12-1	338,01
23-014F-2	E	recessed luminaire 2x50/100W;GX12-1	181,53
23-014F-2	S	recessed luminaire 2x50/100W;GX12-1	180,78
23-014F-2	W	recessed luminaire 2x50/100W;GX12-1	177,15
23-014F-3	E	recessed luminaire 3x50/100W;GX12-1	250,96
23-014F-3	S	recessed luminaire 3x50/100W;GX12-1	249,99
23-014F-3	W	recessed luminaire 3x50/100W;GX12-1	244,54
23-014F-4	E	recessed luminaire 4x50/100W;GX12-1	321,78
23-014F-4	S	recessed luminaire 4x50/100W;GX12-1	320,59
23-014F-4	W	recessed luminaire 4x50/100W;GX12-1	313,32
23-014S-1	E	recessed luminaire 1x50/100W;GX12-1	101,40
23-014S-1	S	recessed luminaire 1x50/100W;GX12-1	100,88
23-014S-1	W	recessed luminaire 1x50/100W;GX12-1	99,05
23-014S-1J2K	E	recessed luminaire 1x55W+2x50/100W;2G11+GX12-1	350,87
23-014S-1J2K	S	recessed luminaire 1x55W+2x50/100W;2G11+GX12-1	348,79
23-014S-1J2K	W	recessed luminaire 1x55W+2x50/100W;2G11+GX12-1	338,01
23-014S-2	E	recessed luminaire 2x50/100W;GX12-1	181,53
23-014S-2	S	recessed luminaire 2x50/100W;GX12-1	180,78
23-014S-2	W	recessed luminaire 2x50/100W;GX12-1	177,15
23-014S-3	E	recessed luminaire 3x50/100W;GX12-1	250,96
23-014S-3	S	recessed luminaire 3x50/100W;GX12-1	249,99
23-014S-3	W	recessed luminaire 3x50/100W;GX12-1	244,54
23-014S-4	E	recessed luminaire 4x50/100W;GX12-1	321,78
23-014S-4	S	recessed luminaire 4x50/100W;GX12-1	320,59
23-014S-4	W	recessed luminaire 4x50/100W;GX12-1	313,32
23-015G-1055E	E	recessed luminaire 1x55W;2G11	152,54
23-015G-1055E	S	recessed luminaire 1x55W;2G11	151,41
23-015G-1055E	W	recessed luminaire 1x55W;2G11	145,23
24-500N-2100R	S	pendant luminaire 2x100W;G53	218,08
24-500N-2100R	W	pendant luminaire 2x100W;G53	216,03
24-500N-3100R	S	pendant luminaire 3x100W;G53	279,31
24-500N-3100R	W	pendant luminaire 3x100W;G53	276,31
24-500N-4100R	S	pendant luminaire 4x100W;G53	340,52
24-500N-4100R	W	pendant luminaire 4x100W;G53	336,68
24-500N-5100R	S	pendant luminaire 5x100W;G53	400,99
24-500N-5100R	W	pendant luminaire 5x100W;G53	396,21
24-501N-2035E	S	pendant luminaire 2x35W;GX8,5	413,43
24-501N-2035E	W	pendant luminaire 2x35W;GX8,5	411,38
24-501N-2070E	S	pendant luminaire 2x70W;GX8,5	413,43
24-501N-2070E	W	pendant luminaire 2x70W;GX8,5	411,38
24-501N-3035E	S	pendant luminaire 3x35W;GX8,5	571,71

24-501N-3035E	W	pendant luminaire 3x35W;GX8,5	568,71
24-501N-3070E	S	pendant luminaire 3x70W;GX8,5	571,71
24-501N-3070E	W	pendant luminaire 3x70W;GX8,5	568,71
24-501N-4035E	S	pendant luminaire 4x35W;GX8,5	729,89
24-501N-4035E	W	pendant luminaire 4x35W;GX8,5	726,06
24-501N-4070E	S	pendant luminaire 4x70W;GX8,5	729,89
24-501N-4070E	W	pendant luminaire 4x70W;GX8,5	726,06
24-501N-5035E	S	pendant luminaire 5x35W;GX8,5	887,71
24-501N-5035E	W	pendant luminaire 5x35W;GX8,5	882,93
24-501N-5070E	S	pendant luminaire 5x70W;GX8,5	887,71
24-501N-5070E	W	pendant luminaire 5x70W;GX8,5	882,93
24-505F-2035E	S	pendant luminaire 2x35W;G8,5	526,69
24-505F-2035E	W	pendant luminaire 2x35W;G8,5	524,62
24-505F-2070E	S	pendant luminaire 2x70W;G8,5	526,69
24-505F-2070E	W	pendant luminaire 2x70W;G8,5	524,62
24-505F-3035E	S	pendant luminaire 3x35W;G8,5	741,59
24-505F-3035E	W	pendant luminaire 3x35W;G8,5	738,59
24-505F-3070E	S	pendant luminaire 3x70W;G8,5	741,59
24-505F-3070E	W	pendant luminaire 3x70W;G8,5	738,59
24-505F-4035E	S	pendant luminaire 4x35W;G8,5	956,40
24-505F-4035E	W	pendant luminaire 4x35W;G8,5	952,57
24-505F-4070E	S	pendant luminaire 4x70W;G8,5	956,40
24-505F-4070E	W	pendant luminaire 4x70W;G8,5	952,57
24-505F-5035E	S	pendant luminaire 5x35W;G8,5	1 170,94
24-505F-5035E	W	pendant luminaire 5x35W;G8,5	1 166,17
24-505F-5070E	S	pendant luminaire 5x70W;G8,5	1 170,94
24-505F-5070E	W	pendant luminaire 5x70W;G8,5	1 166,17
24-505S-2035E	S	pendant luminaire 2x35W;G8,5	526,69
24-505S-2035E	W	pendant luminaire 2x35W;G8,5	524,62
24-505S-2070E	S	pendant luminaire 2x70W;G8,5	526,69
24-505S-2070E	W	pendant luminaire 2x70W;G8,5	524,62
24-505S-3035E	S	pendant luminaire 3x35W;G8,5	741,59
24-505S-3035E	W	pendant luminaire 3x35W;G8,5	738,59
24-505S-3070E	S	pendant luminaire 3x70W;G8,5	741,59
24-505S-3070E	W	pendant luminaire 3x70W;G8,5	738,59
24-505S-4035E	S	pendant luminaire 4x35W;G8,5	956,40
24-505S-4035E	W	pendant luminaire 4x35W;G8,5	952,57
24-505S-4070E	S	pendant luminaire 4x70W;G8,5	956,40
24-505S-4070E	W	pendant luminaire 4x70W;G8,5	952,57
24-505S-5035E	S	pendant luminaire 5x35W;G8,5	1 170,94
24-505S-5035E	W	pendant luminaire 5x35W;G8,5	1 166,17
24-505S-5070E	S	pendant luminaire 5x70W;G8,5	1 170,94
24-505S-5070E	W	pendant luminaire 5x70W;G8,5	1 166,17
24-505U-2035E	S	pendant luminaire 2x35W;G8,5	526,69
24-505U-2035E	W	pendant luminaire 2x35W;G8,5	524,62
24-505U-2070E	S	pendant luminaire 2x70W;G8,5	526,69
24-505U-2070E	W	pendant luminaire 2x70W;G8,5	524,62
24-505U-3035E	S	pendant luminaire 3x35W;G8,5	741,59
24-505U-3035E	W	pendant luminaire 3x35W;G8,5	738,59
24-505U-3070E	S	pendant luminaire 3x70W;G8,5	741,59
24-505U-3070E	W	pendant luminaire 3x70W;G8,5	738,59
24-505U-4035E	S	pendant luminaire 4x35W;G8,5	956,40
24-505U-4035E	W	pendant luminaire 4x35W;G8,5	952,57
24-505U-4070E	S	pendant luminaire 4x70W;G8,5	956,40
24-505U-4070E	W	pendant luminaire 4x70W;G8,5	952,57
24-505U-5035E	S	pendant luminaire 5x35W;G8,5	1 170,94
24-505U-5035E	W	pendant luminaire 5x35W;G8,5	1 166,17
24-505U-5070E	S	pendant luminaire 5x70W;G8,5	1 170,94
24-505U-5070E	W	pendant luminaire 5x70W;G8,5	1 166,17
30-0051	K	cable 3x0,75	4,68
30-0052	K	cable 4x0,75	4,68
30-0053	K	cable 3x0,75	6,69
30-0054	K	cable 4x0,75	6,69
30-0055	S	ceiling cup	10,30
30-0055	W	ceiling cover	9,36
30-0060	K	cable 5x0,75	7,35
30-0061	K	cable 5x0,75	12,03
30-0062	B	ceiling cover	9,23
30-0062	S	ceiling cover	9,23
30-0062	W	ceiling cover	9,23
40-0001	F	set for lower side installation, 4 pcs	6,42
40-003A-2028EE/830	W	recessed luminaire 2x28W;G5	227,58

40-003A-2028EE/840	W	recessed luminaire 2x28W;G5	227,58
40-003A-2028EW/830	W	recessed luminaire 2x28W;G5	227,58
40-003A-2028EW/840	W	recessed luminaire 2x28W;G5	227,58
40-003A-2054EE/830	W	recessed luminaire 2x54W;G5	227,58
40-003A-2054EE/840	W	recessed luminaire 2x54W;G5	227,58
40-003A-2054EW/830	W	recessed luminaire 2x54W;G5	227,58
40-003A-2054EW/840	W	recessed luminaire 2x54W;G5	227,58
40-003A-3014EE/830	W	recessed luminaire 3x14W;G5	203,64
40-003A-3014EE/840	W	recessed luminaire 3x14W;G5	203,64
40-003A-3014EW/830	W	recessed luminaire 3x14W;G5	203,64
40-003A-3014EW/840	W	recessed luminaire 3x14W;G5	203,64
40-003A-3024EE/830	W	recessed luminaire 3x24W;G5	211,81
40-003A-3024EE/840	W	recessed luminaire 3x24W;G5	211,81
40-003A-3024EW/830	W	recessed luminaire 3x24W;G5	211,81
40-003A-3024EW/840	W	recessed luminaire 3x24W;G5	211,81
40-003A-4014EE/830	W	recessed luminaire 4x14W;G5	227,19
40-003A-4014EE/840	W	recessed luminaire 4x14W;G5	227,19
40-003A-4014EW/830	W	recessed luminaire 4x14W;G5	227,19
40-003A-4014EW/840	W	recessed luminaire 4x14W;G5	227,19
40-003A-4024EE/830	W	recessed luminaire 4x24W;G5	235,21
40-003A-4024EE/840	W	recessed luminaire 4x24W;G5	235,21
40-003A-4024EW/830	W	recessed luminaire 4x24W;G5	235,21
40-003A-4024EW/840	W	recessed luminaire 4x24W;G5	235,21
40-023A-2028EE/830	W	recessed luminaire 2x28W;G5	234,27
40-023A-2028EE/840	W	recessed luminaire 2x28W;G5	234,27
40-023A-2028EW/830	W	recessed luminaire 2x28W;G5	234,27
40-023A-2028EW/840	W	recessed luminaire 2x28W;G5	234,27
40-023A-2054EE/830	W	recessed luminaire 2x54W;G5	234,27
40-023A-2054EE/840	W	recessed luminaire 2x54W;G5	234,27
40-023A-2054EW/830	W	recessed luminaire 2x54W;G5	234,27
40-023A-2054EW/840	W	recessed luminaire 2x54W;G5	234,27
40-023A-3014EE/830	W	recessed luminaire 3x14W;G5	210,33
40-023A-3014EE/840	W	recessed luminaire 3x14W;G5	210,33
40-023A-3014EW/830	W	recessed luminaire 3x14W;G5	210,33
40-023A-3014EW/840	W	recessed luminaire 3x14W;G5	210,33
40-023A-3024EE/830	W	recessed luminaire 3x24W;G5	218,49
40-023A-3024EE/840	W	recessed luminaire 3x24W;G5	218,49
40-023A-3024EW/830	W	recessed luminaire 3x24W;G5	218,49
40-023A-3024EW/840	W	recessed luminaire 3x24W;G5	218,49
40-023A-4014EE/830	W	recessed luminaire 4x14W;G5	233,87
40-023A-4014EE/840	W	recessed luminaire 4x14W;G5	233,87
40-023A-4014EW/830	W	recessed luminaire 4x14W;G5	233,87
40-023A-4014EW/840	W	recessed luminaire 4x14W;G5	233,87
40-023A-4024EE/830	W	recessed luminaire 4x24W;G5	241,89
40-023A-4024EE/840	W	recessed luminaire 4x24W;G5	241,89
40-023A-4024EW/830	W	recessed luminaire 4x24W;G5	241,89
40-023A-4024EW/840	W	recessed luminaire 4x24W;G5	241,89
41-500A-2021E	W	pendant luminaire 2x21W;G5	175,04
41-500A-2028E	W	pendant luminaire 2x28W;G5	193,09
41-500A-2035E	W	pendant luminaire 2x35W;G5	225,18
41-500A-2039E	W	pendant luminaire 2x39W;G5	175,04
41-500A-2049E	W	pendant luminaire 2x49W;G5	225,18
41-500A-2054E	W	pendant luminaire 2x54W;G5	193,09
41-500A-2080E	W	pendant luminaire 2x80W;G5	243,09
41-501A-2021E	W	direct-indirect pendant luminaire 2x21W;G5	175,04
41-501A-2028E	W	direct-indirect pendant luminaire 2x28W;G5	193,09
41-501A-2035E	W	direct-indirect pendant luminaire 2x35W;G5	225,18
41-501A-2039E	W	direct-indirect pendant luminaire 2x39W;G5	175,04
41-501A-2049E	W	direct-indirect pendant luminaire 2x49W;G5	225,18
41-501A-2054E	W	direct-indirect pendant luminaire 2x54W;G5	193,09
41-501A-2080E	W	direct-indirect pendant luminaire 2x80W;G5	243,63
50-0001	A	glass diam 240 mm	23,53
50-0001	K	glass diam 240 mm	23,53
50-0019		glass diam 200 mm	12,57
50-001P-1013E	7045	downlight, electronic ballast 1x13W;G24q1	56,16
50-001P-1013E	W	downlight, electronic ballast 1x13W;G24q1	54,82
50-001P-1013K	7045	downlight 1x13W;G24d1	30,75
50-001P-1013K	W	downlight 1x13W;G24d1	29,42
50-001P-1013N	7045	downlight with independent power supply 1x13W;G24q1	104,30
50-001P-1013N	W	downlight with independent power supply 1x13W;G24q1	102,96
50-001P-1018E	7045	downlight, electronic ballast 1x18W;G24q2	56,16
50-001P-1018E	W	downlight, electronic ballast 1x18W;G24q2	50,41

50-001P-1018K	7045	downlight 1x18W;G24d2	30,75
50-001P-1018K	W	downlight 1x18W;G24d2	29,42
50-001P-1018N	7045	downlight with independent power supply 1x18W;G24q2	104,30
50-001P-1018N	W	downlight with independent power supply 1x18W;G24q2	102,96
50-001P-1026/32/42EI	7045	downlight 1x26/32/42W;G24q3-4	56,16
50-001P-1026/32/42EI	W	downlight 1x26/32/42W;G24q3-4	50,41
50-001P-1026K	7045	downlight 1x26W;G24d3	31,42
50-001P-1026K	W	downlight 1x26W;G24d3	30,09
50-001P-1026N	7045	downlight with independent power supply 1x26W;G24q3	104,97
50-001P-1026N	W	downlight with independent power supply 1x26W;G24q3	103,63
50-001P-1032M	7045	downlight with independent power supply 1x32W;GX24q3	127,03
50-001P-1032M	W	downlight with independent power supply 1x32W;GX24q3	125,69
50-001P-1042M	7045	downlight with independent power supply 1x42W;GX24q4	127,03
50-001P-1042M	W	downlight with independent power supply 1x42W;GX24q4	125,69
50-001P-2013E	7045	downlight, electronic ballast 2x13W;G24q1	58,96
50-001P-2013E	W	downlight, electronic ballast 2x13W;G24q1	57,63
50-001P-2013K	7045	downlight 2x13W;G24d1	34,77
50-001P-2013K	W	downlight 2x13W;G24d1	33,43
50-001P-2013N	7045	downlight with indep. power supply 2x13W;G24q1/G24d1	108,31
50-001P-2013N	W	downlight with indep. power supply 2x13W;G24q1/G24d1	106,97
50-001P-2018E	7045	downlight, electronic ballast 2x18W;G24q2	58,96
50-001P-2018E	W	downlight, electronic ballast 2x18W;G24q2	52,82
50-001P-2018K	7045	downlight 2x18W;G24d2	34,77
50-001P-2018K	W	downlight 2x18W;G24d2	33,43
50-001P-2018N	7045	downlight with indep. power supply 2x18W;G24q2/G24d2	108,31
50-001P-2018N	W	downlight with indep. power supply 2x18W;G24q2/G24d2	106,97
50-001P-2026/32/42EI	7045	downlight 2x26/32/42W;G24q3-4	62,05
50-001P-2026/32/42EI	W	downlight 2x26/32/42W;G24q3-4	60,71
50-001P-2026E	7045	downlight, electronic ballast 2x26W;G24q3	58,96
50-001P-2026E	W	downlight, electronic ballast 2x26W;G24q3	52,82
50-001P-2026K	7045	downlight 2x26W;G24d3	36,10
50-001P-2026K	W	downlight 2x26W;G24d3	34,77
50-001P-2026N	7045	downlight with indep. power supply 2x26W;G24q3/G24d3	109,65
50-001P-2026N	W	downlight with indep. power supply 2x26W;G24q3/G24d3	108,31
50-001P-2032M	7045	downlight with independent power supply 2x32W;GX24q3	135,59
50-001P-2032M	W	downlight with independent power supply 2x32W;GX24q3	134,25
50-001P-2042M	7045	downlight with independent power supply 2x42W;GX24q4	135,59
50-001P-2042M	W	downlight with independent power supply 2x42W;GX24q4	134,25
50-0020		casing for concrete ceiling for Serie 50	60,17
50-0021	7045	distance piece for accessories spaceless attachment	8,82
50-0021	W	distance piece for accessories spaceless attachment	8,02
50-005P-1013E	7045	downlight, electronic ballast 1x13W;G24q1	56,16
50-005P-1013E	W	downlight, electronic ballast 1x13W;G24q1	54,82
50-005P-1013K	7045	downlight 1x13W;G24d1	30,75
50-005P-1013K	W	downlight 1x13W;G24d1	29,42
50-005P-1013N	7045	downlight with independent power supply 1x13W;G24q1	104,30
50-005P-1013N	W	downlight with independent power supply 1x13W;G24q1	102,96
50-005P-1018E	7045	downlight for accessories, el. ballast 1x18W;G24q2	56,16
50-005P-1018E	W	downlight for accessories, el. ballast 1x18W;G24q2	50,41
50-005P-1018K	7045	downlight 1x18W;G24d2	30,75
50-005P-1018K	W	downlight 1x18W;G24d2	29,42
50-005P-1018N	7045	downlight with independent power supply 1x18W;G24q2	104,30
50-005P-1018N	W	downlight with independent power supply 1x18W;G24q2	102,96
50-005P-1026/32/42EI	7045	downlight for accessories, el.ballast 1x26/32/42W;G24q3-4	56,16
50-005P-1026/32/42EI	W	downlight for accessories, el.ballast 1x26W;G24q3	50,41
50-005P-1026K	7045	downlight 1x26W;G24d3	31,42
50-005P-1026K	W	downlight 1x26W;G24d3	30,09
50-005P-1026N	7045	downlight with independent power supply 1x26W;G24q3	104,97
50-005P-1026N	W	downlight with independent power supply 1x26W;G24q3	103,63
50-005P-1032M	7045	downlight with independent power supply 1x32W;GX24q3	127,03
50-005P-1032M	W	downlight with independent power supply 1x32W;GX24q3	125,69
50-005P-1042M	7045	downlight with independent power supply 1x42W;GX24q4	127,03
50-005P-1042M	W	downlight with independent power supply 1x42W;GX24q4	125,69
50-005P-2013E	7045	downlight, electronic ballast 2x13W;G24q1	58,96
50-005P-2013E	W	downlight, electronic ballast 2x13W;G24q1	57,63
50-005P-2013K	7045	downlight 2x13W;G24d1	34,77
50-005P-2013K	W	downlight 2x13W;G24d1	33,43
50-005P-2013N	7045	downlight with indep. power supply 2x13W;G24q1/G24d1	108,31
50-005P-2013N	W	downlight with indep. power supply 2x13W;G24q1/G24d1	106,97
50-005P-2018E	7045	downlight without accessories, el. ballast 2x18W;G24q2	58,96
50-005P-2018E	W	downlight without accessories, el. ballast 2x18W;G24q2	52,82
50-005P-2018K	7045	downlight for accessories, 2x18W;G24d2	34,77

50-005P-2018K	W	downlight for accessories, 2x18W;G24d2	33,43
50-005P-2018N	7045	downlight with indep. power supply 2x18W;G24q2/G24d2	108,31
50-005P-2018N	W	downlight with indep. power supply 2x18W;G24q2/G24d2	106,97
50-005P-2026/32/42EI	7045	downlight for accessories 2x26/32/42W;G24q3-4	62,05
50-005P-2026/32/42EI	W	downlight for accessories 2x26/32/42W;G24q3-4	60,71
50-005P-2026E	7045	downlight without accessories, el. ballast 2x26W;G24q3	58,96
50-005P-2026E	W	downlight without accessories, el. ballast 2x26W;G24q3	52,82
50-005P-2026K	7045	downlight 2x26W;G24d3	36,10
50-005P-2026K	W	downlight 2x26W;G24d3	34,77
50-005P-2026N	7045	downlight with indep. power supply 2x26W;G24q3/G24d3	109,65
50-005P-2026N	W	downlight with indep. power supply 2x26W;G24q3/G24d3	108,31
50-005P-2032M	7045	downlight with independent power supply 2x32W;GX24q3	135,59
50-005P-2032M	W	downlight with independent power supply 2x32W;GX24q3	134,25
50-005P-2042M	7045	downlight with independent power supply 2x42W;GX24q4	135,59
50-005P-2042M	W	downlight with independent power supply 2x42W;GX24q4	134,25
50-020N		turboraster 50	10,57
50-050N		plexi-glass - opal;IP44	3,47
50-060N		plexi-glass - clear;IP44	4,41
50-070N		plexi-glass - semi-frosted;IP44	4,41
51-0001	N	distance piece for accessories spaceless attachment	3,61
51-0002	N	distance piece for accessories free space attachment	3,88
51-0003	A	glass diam 200 mm	10,97
51-0003	K	glass diam 200 mm	10,97
52-0001	A	glass diam 143 mm with distance piece	10,57
52-0001	K	glass diam 143 mm with distance piece	9,63
52-001L-1018E	S	downlight, electronic ballast 1x18W;G24q2	66,46
52-001L-1018E	W	downlight, electronic ballast 1x18W;G24q2	62,58
52-001L-1018K	S	downlight 1x18W;G24d2	41,05
52-001L-1018K	W	downlight 1x18W;G24d2	37,17
52-001L-1018N	S	downlight with independent power supply 1x18W;G24q2	114,60
52-001L-1018N	W	downlight with independent power supply 1x18W;G24q2	110,71
52-001L-1026E	S	downlight, electronic ballast 1x26W;G24q3	66,46
52-001L-1026E	W	downlight, electronic ballast 1x26W;G24q3	62,58
52-001L-1026K	S	downlight 1x26W;G24d3	41,72
52-001L-1026K	W	downlight 1x26W;G24d3	37,84
52-001L-1026N	S	downlight with independent power supply 1x26W;G24q3	115,26
52-001L-1026N	W	downlight with independent power supply 1x26W;G24q3	111,38
52-001L-2018E	S	downlight, electronic ballast 2x18W;G24q2	71,67
52-001L-2018E	W	downlight, electronic ballast 2x18W;G24q2	67,80
52-001L-2018K	S	downlight 2x18W;G24d2	47,47
52-001L-2018K	W	downlight 2x18W;G24d2	43,59
52-001L-2018N	S	downlight with indep. power supply 2x18W;G24q2/G24d2	121,01
52-001L-2026E	S	downlight, electronic ballast 2x26W;G24q3	71,67
52-001L-2026E	W	downlight, electronic ballast 2x26W;G24q3	67,80
52-001L-2026K	S	downlight 2x26W;G24d3	47,47
52-001L-2026K	W	downlight 2x26W;G24d3	44,25
52-001L-2026N	S	downlight with indep. power supply 2x26W;G24q3/G24d3	121,68
52-002L-1018E	S	downlight for accessories, electronic ballast 1x18W;G24q2	66,46
52-002L-1018E	W	downlight for accessories, electronic ballast 1x18W;G24q2	62,58
52-002L-1018K	S	downlight for accessories 1x18W;G24d2	41,05
52-002L-1018K	W	downlight for accessories 1x18W;G24d2	37,17
52-002L-1018N	S	downlight for access. with indep. power supp. 1x18W;G24q2	114,60
52-002L-1018N	W	downlight for access. with indep. power supp. 1x18W;G24q2	110,71
52-002L-1026E	S	downlight for accessories, electronic ballast 1x26W;G24q3	66,46
52-002L-1026E	W	downlight for accessories, electronic ballast 1x26W;G24q3	62,58
52-002L-1026K	S	downlight for accessories 1x26W;G24d3	41,72
52-002L-1026K	W	downlight for accessories 1x26W;G24d3	37,84
52-002L-1026N	S	downlight for access. with indep. power supp. 1x26W;G24q3	115,26
52-002L-1026N	W	downlight for access. with indep. power supp. 1x26W;G24q3	111,38
52-002L-2018E	S	downlight for accessories, electronic ballast 2x18W;G24q2	71,67
52-002L-2018E	W	downlight for accessories, electronic ballast 2x18W;G24q2	67,80
52-002L-2018K	S	downlight for accessories 2x18W;G24d2	47,47
52-002L-2018K	W	downlight for accessories 2x18W;G24d2	43,59
52-002L-2018N	S	downlight for accessories, indep. power sup. 2x18W;G24q/d2	121,01
52-002L-2018N	W	downlight for access. with indep.pow.supp. 2x18W;G24q/d2	117,13
52-002L-2026E	S	downlight for accessories, electronic ballast 2x26W;G24q3	71,67
52-002L-2026E	W	downlight for accessories, electronic ballast 2x26W;G24q3	67,80
52-002L-2026K	S	downlight for accessories 2x26W;G24d3	48,14
52-002L-2026K	W	downlight for accessories 2x26W;G24d3	44,25
52-002L-2026N	S	downlight for access. with indep.pow.supp. 2x26W;G24q/d3	121,68
52-002L-2026N	W	downlight for access. with indep.pow.supp. 2x26W;G24q/d3	117,80
53-0001	A	glass diam 270 mm	18,05

53-0001	K	glass diam 270 mm	18,05
53-0017	A	glass diam 205 mm	13,64
53-0017	K	glass diam 205 mm	13,64
53-001L-2018E	S	downlight, electronic ballast 2x18W;G24q2	93,33
53-001L-2018E	W	downlight, electronic ballast 2x18W;G24q2	89,46
53-001L-2018K	S	downlight 2x18W;G24d2	69,13
53-001L-2018K	W	downlight 2x18W;G24d2	65,25
53-001L-2018N	S	downlight with indep. power supply 2x18W;G24q2/G24d2	142,68
53-001L-2018N	W	downlight with indep. power supply 2x18W;G24q2/G24d2	138,79
53-001L-2026E	S	downlight, electronic ballast 2x26W;G24q3	93,33
53-001L-2026E	W	downlight, electronic ballast 2x26W;G24q3	89,46
53-001L-2026K	S	downlight 2x26W;G24d3	69,80
53-001L-2026K	W	downlight 2x26W;G24d3	66,59
53-001L-2026N	S	downlight with indep. power supply 2x26W;G24q3/G24d3	143,34
53-001L-2026N	W	downlight with indep. power supply 2x26W;G24q3/G24d3	140,13
53-001L-2032E	S	downlight 2x32W;GX24q3	96,40
53-001L-2032E	W	downlight 2x32W;GX24q3	92,53
53-001L-2032M	S	downlight with independent power supply 2x32W;GX24q3	169,95
53-001L-2032M	W	downlight with independent power supply 2x32W;GX24q3	166,08
53-001L-2042E	S	downlight 2x42W;GX24q4	96,40
53-001L-2042E	W	downlight 2x42W;GX24q4	92,53
53-001L-2042M	S	downlight with independent power supply 2x42W;GX24q4	169,95
53-001L-2042M	W	downlight with independent power supply 2x42W;GX24q4	166,08
53-0024	S	wire suspension 3 wires, for cable 1800mm	25,95
53-0024	W	wire suspension 3 wires, for cable 1800mm	25,95
53-002L-2018E	S	downlight for accessories, electronic ballast 2x18W;G24q2	93,33
53-002L-2018E	W	downlight for accessories, electronic ballast 2x18W;G24q2	89,46
53-002L-2018K	S	downlight for accessories 2x18W;G24d2	69,13
53-002L-2018K	W	downlight for accessories 2x18W;G24d2	65,25
53-002L-2018N	S	downlight for access. with indep. power supply 2x18W;G24q/d2	142,68
53-002L-2018N	W	downlight for access. with indep. power supply 2x18W;G24q/d2	138,79
53-002L-2026E	S	downlight for accessories, electronic ballast 2x26W;G24q3	93,33
53-002L-2026E	W	downlight for accessories, electronic ballast 2x26W;G24q3	89,46
53-002L-2026K	S	downlight for accessories 2x26W;G24d3	70,47
53-002L-2026K	W	downlight for accessories 2x26W;G24d3	66,59
53-002L-2026N	S	downlight for access. with indep. power supply 2x26W;G24q/d3	144,01
53-002L-2026N	W	downlight for access. with indep. power supply 2x26W;G24q/d3	140,13
53-002L-2032E	S	downlight for accessories 2x32W;GX24q3	96,40
53-002L-2032E	W	downlight for accessories 2x32W;GX24q3	92,53
53-002L-2032M	S	downlight for access. with indep. power supply 2x32W;GX24q3	169,95
53-002L-2032M	W	downlight for access. with indep. power supply 2x32W;GX24q3	166,08
53-002L-2042E	S	downlight for accessories 2x42W;GX24q4	96,40
53-002L-2042E	W	downlight for accessories 2x42W;GX24q4	92,53
53-002L-2042M	S	downlight for access. with indep. power supply 2x42W;GX24q4	169,95
53-002L-2042M	W	downlight for access. with indep. power supply 2x42W;GX24q4	166,08
53-101L-2018E	S	semi-recessed luminaire, electronic ballast 2x18W;G24q2	113,93
53-101L-2018E	W	semi-recessed luminaire, electronic ballast 2x18W;G24q2	108,18
53-101L-2018K	S	semi-recessed luminaire 2x18W;G24d2	89,72
53-101L-2018K	W	semi-recessed luminaire 2x18W;G24d2	83,97
53-101L-2018N	S	semi-recessed fitting with indep. power supply 2x18W;G24q/d2	163,26
53-101L-2018N	W	semi-recessed fitting with indep. power supply 2x18W;G24q/d2	157,51
53-101L-2026E	S	semi-recessed luminaire, electronic ballast 2x26W;G24q3	113,93
53-101L-2026E	W	semi-recessed luminaire, electronic ballast 2x26W;G24q3	108,18
53-101L-2026K	S	semi-recessed luminaire 2x26W;G24d3	91,05
53-101L-2026K	W	semi-recessed luminaire 2x26W;G24d3	85,31
53-101L-2026N	S	semi-recessed fitting with indep. power supply 2x26W;G24q/d3	164,60
53-101L-2026N	W	semi-recessed fitting with indep. power supply 2x26W;G24q/d3	158,85
53-101L-2032E	S	semi-recessed luminaire, electronic ballast 2x32W;GX24q3	117,00
53-101L-2032E	W	semi-recessed luminaire, electronic ballast 2x32W;GX24q3	111,25
53-101L-2032M	S	semi-recessed luminaire with indep. pow. supply 2x32W;GX24q3	190,54
53-101L-2032M	W	semi-recessed luminaire with indep. pow. supply 2x32W;GX24q3	184,80
53-101L-2042E	S	semi-recessed luminaire 2x42W;GX24q4	117,00
53-101L-2042E	W	semi-recessed luminaire 2x42W;GX24q4	111,25
53-101L-2042M	S	semi-recessed luminaire with indep. pow. supply 2x42W;GX24q4	190,54
53-101L-2042M	W	semi-recessed luminaire with indep. pow. supply 2x42W;GX24q4	184,80
53-102L-2018E	S	semi-recessed fitt. for accessories, el. ballast 2x18W;G24q2	113,93
53-102L-2018E	W	semi-recessed fitt. for accessories, el. ballast 2x18W;G24q2	108,18
53-102L-2018K	S	semi-recessed luminaire for accessories 2x18W;G24d2	89,72
53-102L-2018K	W	semi-recessed luminaire for accessories 2x18W;G24d2	83,97
53-102L-2018N	S	semi-recess.fitt. for acc. with indep.pow.sup. 2x18W;G24q/d2	163,26
53-102L-2018N	W	semi-recess.fitt. for acc. with indep.pow.sup. 2x18W;G24q/d2	157,51
53-102L-2026E	S	semi-recessed fitt. for accessories, el. ballast 2x26W;G24q3	113,93

53-102L-2026E	W	semi-recessed fitt. for accessories, el. ballast 2x26W;G24q3	108,18
53-102L-2026K	S	semi-recessed luminaire for accessories 2x26W;G24d3	91,05
53-102L-2026K	W	semi-recessed luminaire for accessories 2x26W;G24d3	85,31
53-102L-2026N	S	semi-recess.fitt. for acc. with indep.pow.sup. 2x26W;G24q/d3	164,60
53-102L-2026N	W	semi-recess.fitt. for acc. with indep.pow.sup. 2x26W;G24q/d3	158,85
53-102L-2032E	S	semi-recessed fitting for access., el. ballast 2x32W;GX24q3	117,00
53-102L-2032E	W	semi-recessed fitting for access., el. ballast 2x32W;GX24q3	111,25
53-102L-2032M	S	semi-recessed fitt. for acc. with indep.pow.sup. 2x32W;GX24q	190,54
53-102L-2032M	W	semi-recessed fitt. for acc. with indep.pow.sup. 2x32W;GX24q	184,80
53-102L-2042E	S	semi-recessed luminaire for accessories 2x42W;GX24q4	117,00
53-102L-2042E	W	semi-recessed luminaire for accessories 2x42W;GX24q4	111,25
53-102L-2042M	S	semi-recessed fitt. for acc. with indep.pow.sup. 2x42W;GX24q	190,54
53-102L-2042M	W	semi-recessed fitt. for acc. with indep.pow.sup. 2x42W;GX24q	184,80
53-201L-2018E	S	surface luminaire, electronic ballast 2x18W;G24q2	138,79
53-201L-2018E	W	surface luminaire, electronic ballast 2x18W;G24q2	132,51
53-201L-2018K	S	surface luminaire 2x18W;G24d2	114,60
53-201L-2018K	W	surface luminaire 2x18W;G24d2	108,31
53-201L-2018N	S	surface luminaire with indep. pow. sup. 2x18W;G24q2/G24d2	188,14
53-201L-2026E	S	surface luminaire, electronic ballast 2x26W;G24q3	138,79
53-201L-2026E	W	surface luminaire, electronic ballast 2x26W;G24q3	132,51
53-201L-2026K	S	surface luminaire 2x26W;G24d3	115,93
53-201L-2026K	W	surface luminaire 2x26W;G24d3	109,65
53-201L-2026N	S	surface luminaire with indep. pow. sup. 2x26W;G24q3/G24d3	189,48
53-201L-2026N	W	surface luminaire with indep. pow. sup. 2x26W;G24q3/G24d3	183,19
53-201L-2032E	S	surface luminaire 2x32W;GX24q3	141,87
53-201L-2032E	W	surface luminaire 2x32W;GX24q3	135,59
53-201L-2032M	S	surface luminaire indep.pow.supp. 2x32W;GX24q3	215,41
53-201L-2042E	S	surface luminaire 2x42W;GX24q4	141,87
53-201L-2042E	W	surface luminaire 2x42W;GX24q4	135,59
53-202L-2018E	S	surface luminaire for accessories, el. ballast 2x18W;G24q2	138,79
53-202L-2018E	W	surface luminaire for accessories, el. ballast 2x18W;G24q2	132,51
53-202L-2018K	S	surface luminaire for accessories 2x18W;G24d2	114,60
53-202L-2018K	W	surface luminaire for accessories 2x18W;G24d2	108,31
53-202L-2018N	S	surface luminaire for acces., indep.pow.supp. 2x18W;G24q/d2	188,14
53-202L-2018N	W	surface luminaire for acces., indep.pow.supp. 2x18W;G24q/d2	181,85
53-202L-2026E	S	surface luminaire for accessories, el. ballast 2x26W;G24q3	138,79
53-202L-2026E	W	surface luminaire for accessories, el. ballast 2x26W;G24qq3	132,51
53-202L-2026K	S	surface luminaire for accessories 2x26W;G24d3	115,93
53-202L-2026K	W	surface luminaire for accessories 2x26W;G24d3	109,65
53-202L-2026N	S	surface fitting for acces., indep.pow.supp. 2x26W;G24q3/G24d	189,48
53-202L-2026N	W	surface fitting for acces., indep.pow.supp. 2x26W;G24q3/G24d	183,19
53-202L-2032E	S	surface luminaire for accessories 2x32W;GX24q3	141,87
53-202L-2032E	W	surface luminaire for accessories 2x32W;GX24q3	135,59
53-202L-2032M	S	surface luminaire for acces., indep.pow.supp. 2x32W;GX24q3	215,41
53-202L-2042E	S	surface luminaire for accessories 2x42W;GX24q4	141,87
53-202L-2042E	W	surface luminaire for accessories 2x42W;GX24q4	135,59
53-501L-2026E B			178,37
65-0001	A	glass, side length 162 mm	6,69
65-0002	W	plexi-glass, side length 162 mm	5,35
65-000L-1018EL/840	E	LED downlight 1100lm - 1x18W	344,71
65-000L-1018TDL/840	E	LED downlight 1100lm - 1x18W	398,34
65-000L-1019EL/830	E	LED downlight 1100lm - 1x19W	344,71
65-000L-1019TDL/830	E	LED downlight 1100lm - 1x19W	398,34
65-000L-1032EL/840	E	LED downlight 2000lm - 1x32W	395,67
65-000L-1032TDL/840	E	LED downlight 2000lm - 1x32W	449,28
65-000L-1036EL/830	E	LED downlight 2000lm - 1x36W	395,67
65-000L-1036TDL/830	E	LED downlight 2000lm - 1x36W	449,28
65-000L-1040DXL/C	E	RGB LED downlight 1100lm - 1x40W	654,13
65-001L-1018E	E	downlight, electronic ballast 1x18W;G24q2	64,45
65-001L-1018E	S	downlight, electronic ballast 1x18W;G24q2	74,21
65-001L-1018E	W	downlight, electronic ballast 1x18W;G24q2	74,21
65-001L-1018K	E	downlight 1x18W;G24d2	48,41
65-001L-1018K	S	downlight 1x18W;G24d2	58,17
65-001L-1018K	W	downlight 1x18W;G24d2	58,17
65-001L-1018N	E	downlight with independent power supply 1x18W;G24q2	156,05
65-001L-1018N	S	downlight with independent power supply 1x18W;G24q2	152,70
65-001L-1018N	W	downlight with independent power supply 1x18W;G24q2	151,37
65-001L-2018E	E	downlight, electronic ballast 2x18W;G24q2	66,86
65-001L-2018E	S	downlight, electronic ballast 2x18W;G24q2	76,62
65-001L-2018E	W	downlight, electronic ballast 2x18W;G24q2	76,62
65-001L-2018K	E	downlight 2x18W;G24d2	50,81
65-001L-2018K	S	downlight 2x18W;G24d2	60,57

65-001L-2018K	W	downlight 2x18W;G24d2	60,57
65-001L-2018N	E	downlight with independent power supply 2x18W;G24q/d2	162,06
65-001L-2018N	S	downlight with independent power supply 2x18W;G24q/d2	158,72
65-001L-2018N	W	downlight with independent power supply 2x18W;G24q/d2	157,38
65-002L-1018E	E	downlight for accessories 1x18W;G24q2	107,91
65-002L-1018E	S	downlight for accessories 1x18W;G24q2	104,57
65-002L-1018E	W	downlight for accessories 1x18W;G24q2	103,23
65-002L-1018K	E	downlight for accessories 1x18W;G24d2	82,50
65-002L-1018K	S	downlight for accessories 1x18W;G24d2	79,16
65-002L-1018K	W	downlight for accessories 1x18W;G24d2	77,82
65-002L-1018N	E	downlight for accessories with indep. pow. sup. 1x18W;G24q2	156,05
65-002L-1018N	S	downlight for accessories with indep. pow. sup. 1x18W;G24q2	152,70
65-002L-1018N	W	downlight for accessories with indep. pow. sup. 1x18W;G24q2	151,37
65-002L-2018E	E	downlight for accessories 2x18W;G24q2	112,72
65-002L-2018E	S	downlight for accessories 2x18W;G24q2	109,38
65-002L-2018E	W	downlight for accessories 2x18W;G24q2	108,04
65-002L-2018K	E	downlight for accessories 2x18W;G24d2	88,52
65-002L-2018K	S	downlight for accessories 2x18W;G24d2	85,18
65-002L-2018K	W	downlight for accessories 2x18W;G24d2	83,84
65-002L-2018N	E	downlight for access. with indep. pow. sup. 2x18W;G24q2	162,06
65-002L-2018N	S	downlight for access. with indep. pow. sup. 2x18W;G24q2	158,72
65-002L-2018N	W	downlight for access. with indep. pow. sup. 2x18W;G24q2	157,38
66-0001	A	glass, side length 204 mm	6,69
66-0002	W	plexi-glass, side length 204 mm	5,35
66-003L-2018E	E	downlight, electronic ballast 2x18W;G24q2	70,20
66-003L-2018E	S	downlight, electronic ballast 2x18W;G24q2	79,96
66-003L-2018E	W	downlight, electronic ballast 2x18W;G24q2	79,96
66-003L-2026E	E	downlight, electronic ballast 2x26W;G24q3	70,20
66-003L-2026E	S	downlight, electronic ballast 2x26W;G24q3	79,96
66-003L-2026E	W	downlight, electronic ballast 2x26W;G24q3	79,96
67-0001	A	glass, side length 295 mm	19,26
67-0002	W	plexi-glass, side length 295 mm	13,37
67-003H-2026E	E	downlight 2x26W;G24q3	112,45
67-003H-2026E	S	downlight 2x26W;G24q3	122,22
67-003H-2026E	W	downlight 2x26W;G24q3	122,22
67-003H-2026K	E	downlight 2x26W;G24d3	96,40
67-003H-2026K	S	downlight 2x26W;G24d3	106,17
67-003H-2026K	W	downlight 2x26W;G24d3	106,17
67-003H-2032E	E	downlight 2x32W;GX24q3	114,87
67-003H-2032E	S	downlight 2x32W;GX24q3	124,62
67-003H-2032E	W	downlight 2x32W;GX24q3	124,62
67-003H-2042E	E	downlight 2x42W;GX24q4	114,87
67-003H-2042E	S	downlight 2x42W;GX24q4	124,62
67-003H-2042E	W	downlight 2x42W;GX24q4	124,62
67-003H-3026E	E	downlight 3x26W;G24q3	145,88
67-003H-3026E	S	downlight 3x26W;G24q3	155,65
67-003H-3026E	W	downlight 3x26W;G24q3	155,65
67-003H-3026K	E	downlight 3x26W;G24d3	119,13
67-003H-3026K	S	downlight 3x26W;G24d3	128,91
67-003H-3026K	W	downlight 3x26W;G24d3	128,91
67-003H-3032E	E	downlight 3x32W;GX24q3	148,29
67-003H-3032E	S	downlight 3x32W;GX24q3	158,05
67-003H-3032E	W	downlight 3x32W;GX24q3	158,05
67-003H-3042E	E	downlight 3x42W;GX24q4	148,29
67-003H-3042E	S	downlight 3x42W;GX24q4	158,05
67-003H-3042E	W	downlight 3x42W;GX24q4	158,05
70-0001		electric unit for discharge lamps 35W	55,76
70-0002		electric unit for discharge lamps 70W	55,76
70-0003		electric unit for discharge lamps 150W	68,86
70-0004I		electric unit for discharge lamps, HIT 35W, HF	74,48
70-0005I		electric unit for discharge lamps, HIT 70W, HF	74,48
70-0006I		electric unit for discharge lamps, HIT 150W, HF	156,99
70-0007		electric unit for discharge lamps, SDW-TG 50W, HF	208,47
70-0008		electric unit for discharge lamps, SDW-TG 100W, HF	208,47
70-0011I		electric unit for discharge lamps, HIT 2x35W, HF	127,03
70-0012I		electric unit for discharge lamps, HIT 2x70W, HF	127,03
70-010U-1	W	adjustable downlight 1x35/70W;G12	47,07
70-010U-1	S	adjustable downlight 1x35/70W;G12	47,07
70-080F-1	S	adjustable downlight 1x35/70/150W;G12	93,47
70-080F-1	W	adjustable downlight 1x35/70/150W;G12	89,59
70-080S-1	S	adjustable downlight 1x35/70/150W;G12	93,47
70-080S-1	W	adjustable downlight 1x35/70/150W;G12	89,59

70-081F-1	S	adjustable downlight 1x50/100W;GX12-1	93,47
70-081F-1	W	adjustable downlight 1x50/100W;GX12-1	89,59
70-081S-1	S	adjustable downlight 1x50/100W;GX12-1	93,47
70-081S-1	W	adjustable downlight 1x50/100W;GX12-1	89,59
90-300N	W	glass for wall luminaire	13,77
90-300Y-1013E	W	base for wall luminaire 1x13W;G24q1	46,26
90-300Y-1013K	W	base for wall luminaire 1x13W;G24d1	16,17
90-300Y-1060F	W	base for wall luminaire 1x60W;E27	7,08
90-301N	W	glass for wall luminaire	19,79
90-301Y-1013E	W	base for wall luminaire 1x13W;G24q1	49,47
90-301Y-1013K	W	base for wall luminaire 1x13W;G24d1	19,39
90-301Y-1013M	W	base for wall luminaire 1x13W;G24q1	123,02
90-301Y-1013N	W	base for wall luminaire 1x13W;G24q1	92,93
90-301Y-1018E	W	base for wall luminaire 1x18W;G24q2	49,47
90-301Y-1018K	W	base for wall luminaire 1x18W;G24d2	19,39
90-301Y-1018M	W	base for wall luminaire 1x18W;G24q2	123,02
90-301Y-1100F	W	base for wall luminaire 1x100W;E27	10,43
90-301Y-2060F	W	base for wall luminaire 2x60W;E27	13,24
90-302N	W	glass for wall luminaire	29,42
90-302Y-2018E	W	base for wall luminaire 2x18W;G24q2	71,54
90-302Y-2018K	W	base for wall luminaire 2x18W;G24d2	37,31
90-302Y-2075F	W	base for wall luminaire 2x75W;E27	19,39
90-303N	W	glass for wall luminaire	48,41
90-303Y-2018E	W	base for wall luminaire 2x18W;G24q2	82,50
90-303Y-2018K	W	base for wall luminaire 2x18W;G24d2	48,27
90-303Y-2026E	W	base for wall luminaire 2x26W;G24q3	82,50
90-303Y-2026K	W	base for wall luminaire 2x26W;G24d3	49,60
90-303Y-2075F	W	base for wall luminaire 2x75W;E27	30,36